Containers with DataSource and Resource support

> ⚠ This page / section has been automatically generated by Cargo's build. Do not edit it directly as it'll be overwritten next time it's generated again.

Container	Configuration	Resource	DataSource	Transactional DataSource	XA DataSource
Geronimo 2.x	`o.c.c.c.geronimo.Geronimo2xStandaloneLocalConfiguration`	❌	✅	✅	❌
Geronimo 3.x	`o.c.c.c.geronimo.Geronimo3xStandaloneLocalConfiguration`	❌	✅	✅	❌
Glassfish 3.x	`o.c.c.c.glassfish.GlassFish3xStandaloneLocalConfiguration`	❌	✅	✅	❌
Glassfish 4.x	`o.c.c.c.glassfish.GlassFish4xStandaloneLocalConfiguration`	❌	✅	✅	❌
JBoss 3.x	`o.c.c.c.jboss.JBossStandaloneLocalConfiguration`	❌	✅	✅	❌
JBoss 4.x	`o.c.c.c.jboss.JBossStandaloneLocalConfiguration`	❌	✅	✅	❌
JBoss 4.2.x	`o.c.c.c.jboss.JBoss42xStandaloneLocalConfiguration`	❌	✅	✅	❌

JBoss 5.x	`o.c.c.c.jboss.JBoss5xStandaloneLocalConfiguration`	❌	✅	✅	❌
JBoss 5.1.x	`o.c.c.c.jboss.JBoss51xStandaloneLocalConfiguration`	❌	✅	✅	❌
JBoss 6.x	`o.c.c.c.jboss.JBoss6xStandaloneLocalConfiguration`	❌	✅	✅	❌
JBoss 6.1.x	`o.c.c.c.jboss.JBoss6xStandaloneLocalConfiguration`	❌	✅	✅	❌
JBoss 7.x	`o.c.c.c.jboss.JBoss7xStandaloneLocalConfiguration`	❌	✅	✅	❌
JBoss 7.1.x	`o.c.c.c.jboss.JBoss71xStandaloneLocalConfiguration`	❌	✅	✅	❌
Jetty 7.x	`o.c.c.c.jetty.Jetty7xStandaloneLocalConfiguration`	❌	✅	❌	❌
Jetty 8.x	`o.c.c.c.jetty.Jetty8xStandaloneLocalConfiguration`	❌	✅	❌	❌

Jetty 9.x	`o.c.c.c.jetty.Jetty9xStandaloneLocalConfiguration`	❌	✅	❌	❌
JOnAS 4.x	`o.c.c.c.jonas.Jonas4xStandaloneLocalConfiguration`	❌	✅	✅	❌
JOnAS 5.x	`o.c.c.c.jonas.Jonas5xStandaloneLocalConfiguration`	❌	✅	✅	❌
JRun 4.x	`o.c.c.c.jrun.JRun4xExistingLocalConfiguration`	✅	✅	✅	✅
Oc4J 9.x	`o.c.c.c.orion.Oc4j9xStandaloneLocalConfiguration`	❌	✅	✅	✅
Oc4j 10.x	`o.c.c.c.orion.Oc4j10xExistingLocalConfiguration`	❌	✅	✅	✅
Resin 2.x	`o.c.c.c.resin.Resin2xStandaloneLocalConfiguration`	✅	✅	❌	❌
Resin 3.x	`o.c.c.c.resin.Resin3xStandaloneLocalConfiguration`	✅	✅	❌	❌
Resin 3.1.x	`o.c.c.c.resin.Resin31xStandaloneLocalConfiguration`	✅	✅	❌	❌

Resin 4.x	`o.c.c.c.resin.Resin4xStandaloneLocalConfiguration`	✅	✅	❌	❌
Tomcat 4.x	`o.c.c.c.tomcat.Tomcat4xStandaloneLocalConfiguration`	✅	✅	❌	❌
Tomcat 5.x	`o.c.c.c.tomcat.Tomcat5xStandaloneLocalConfiguration`	✅	✅	❌	❌
Tomcat 6.x	`o.c.c.c.tomcat.Tomcat6xStandaloneLocalConfiguration`	✅	✅	❌	❌
Tomcat 7.x	`o.c.c.c.tomcat.Tomcat7xStandaloneLocalConfiguration`	✅	✅	❌	❌
WebLogic 8.x	`o.c.c.c.weblogic.WebLogic8xStandaloneLocalConfiguration`	❌	✅	✅	✅
WebLogic 9.x	`o.c.c.c.weblogic.WebLogic9xStandaloneLocalConfiguration`	❌	✅	✅	✅
WebLogic 10.x	`o.c.c.c.weblogic.WebLogic10xStandaloneLocalConfiguration`	❌	✅	✅	✅

WebLogic 10.3.x	`o.c.c.c.weblogic.WebLogic103xStandaloneLocalConfiguration`	❌	✅	✅	✅
WebLogic 12.x	`o.c.c.c.weblogic.WebLogic12xStandaloneLocalConfiguration`	❌	✅	✅	✅