Release notes for Cargo 0.7

Main changes

Here are the highlights of Cargo 0.7:

- Major refactoring to support Remote containers (i.e. containers that are started somewhere and with which we don't interact through the file system).
- Added JBoss 3.x and 4.x support.
- Added new Deployable type: EJB. Note that this new deployable is supported only by the JBoss container.
- Added a Tomcat Existing Configuration implementation.
- Added a Tomcat Local Deployer and a Tomcat Remote Deployer which uses the Tomcat Manager app for deployment.
- Added a WebLogic Existing Configuration implementation.

The list of all issues fixed and features implemented is available below.

Please note that version 0.7 has broken almost all APIs. This was majoritarly due to the Remote container support refactoring. This is one of the last 0.X version before the 1.0 release and we took the opportunity to fix the API now rather than to go through a lengthy and difficult deprecation strategy (which we'll use once 1.0 is out). We apologize to all our early users for this. This is probably the last time such a major change happens before the 1.0 release.

Implemented issues

Error rendering macro 'jiraissues' : Unable to determine if sort should be enabled.

Source code changes

Changes detected by Clirr between `cargo-0.6.jar` and `cargo-0.7.jar`.

Changes to the core:

```
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public
org.codehaus.cargo.container.configuration.C
onfiguration getConfiguration()' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public java.lang.String[]
getExtraClasspath()' has been removed
```

```
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public java.io.File getHomeDir()'
has been removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public java.io.File getOutput()' has
been removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public java.util.Map
getSystemProperties()' has been removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public long getTimeout()' has been
removed
ERROR: 7012:
org.codehaus.cargo.container.Container:
Method 'public
org.codehaus.cargo.container.ContainerType
getType()' has been added to an interface
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public boolean isAppend()' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public void setAppend(boolean)' has
been removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
```

```
Method 'public void
setConfiguration(org.codehaus.cargo.containe
r.configuration.Configuration)' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public void
setExtraClasspath(java.lang.String[])' has
been removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public void
setHomeDir(java.io.File)' has been removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public void
setHomeDir(java.lang.String)' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public void setOutput(java.io.File)'
has been removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public void
setSystemProperties(java.util.Map)' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public void setTimeout(long)' has
been removed
```

```
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public void start()' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.Container:
Method 'public void stop()' has been removed
ERROR: 7012:
org.codehaus.cargo.container.ContainerCapabi
lity: Method 'public boolean
supportsDeployableType(org.codehaus.cargo.co
ntainer.deployable.DeployableType)' has been
added to an interface
ERROR: 7002:
org.codehaus.cargo.container.ContainerCapabi
lity: Method 'public boolean supportsEar()'
has been removed
ERROR: 7002:
org.codehaus.cargo.container.ContainerCapabi
lity: Method 'public boolean supportsWar()'
has been removed
INFO: 8000:
org.codehaus.cargo.container.ContainerType:
Class
org.codehaus.cargo.container.ContainerType
added
INFO: 8000:
org.codehaus.cargo.container.LocalContainer:
Class
org.codehaus.cargo.container.LocalContainer
added
```

```
INFO: 8000:
org.codehaus.cargo.container.RemoteContainer
: Class
org.codehaus.cargo.container.RemoteContainer
added
ERROR: 7002:
org.codehaus.cargo.container.configuration.C
onfiguration: Method 'public void
addDeployable(org.codehaus.cargo.container.d
eployable.Deployable)' has been removed
ERROR: 7002:
org.codehaus.cargo.container.configuration.C
onfiguration: Method 'public java.util.List
getDeployables()' has been removed
ERROR: 7002:
org.codehaus.cargo.container.configuration.C
onfiguration: Method 'public java.io.File
getDir()' has been removed
ERROR: 7012:
org.codehaus.cargo.container.configuration.C
onfiguration: Method 'public
org.codehaus.cargo.container.configuration.C
onfigurationType getType()' has been added
to an interface
INFO: 8000:
org.codehaus.cargo.container.configuration.C
onfigurationType: Class
org.codehaus.cargo.container.configuration.C
onfigurationType added
INFO: 8000:
org.codehaus.cargo.container.configuration.E
```

```
xistingLocalConfiguration: Class
org.codehaus.cargo.container.configuration.E
xistingLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.configuration.L
ocalConfiguration: Class
org.codehaus.cargo.container.configuration.L
ocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.configuration.R
untimeConfiguration: Class
org.codehaus.cargo.container.configuration.R
untimeConfiguration added
INFO: 8000:
org.codehaus.cargo.container.configuration.S
tandaloneLocalConfiguration: Class
org.codehaus.cargo.container.configuration.S
tandaloneLocalConfiguration added
ERROR: 7012:
org.codehaus.cargo.container.deployable.Depl
oyable: Method 'public
org.codehaus.cargo.container.deployable.Depl
oyableType getType()' has been added to an
interface
INFO: 8000:
org.codehaus.cargo.container.deployable.Depl
oyableType: Class
org.codehaus.cargo.container.deployable.Depl
oyableType added
INFO: 7011:
org.codehaus.cargo.container.deployable.EAR:
```

```
Method 'public
org.codehaus.cargo.container.deployable.Depl
oyableType getType()' has been added
INFO: 8000:
org.codehaus.cargo.container.deployable.EJB:
Class
org.codehaus.cargo.container.deployable.EJB
added
INFO: 7011:
org.codehaus.cargo.container.deployable.WAR:
Method 'public
org.codehaus.cargo.container.deployable.Depl
oyableType getType()' has been added
ERROR: 8001:
org.codehaus.cargo.container.deployable.jbos
s.JBossWAR: Class
org.codehaus.cargo.container.deployable.jbos
s.JBossWAR removed
ERROR: 8001:
org.codehaus.cargo.container.deployable.tomc
at.TomcatWAR: Class
org.codehaus.cargo.container.deployable.tomc
at.TomcatWAR removed
ERROR: 7012:
org.codehaus.cargo.container.deployer.Deploy
er: Method 'public
org.codehaus.cargo.container.deployer.Deploy
erType getType()' has been added to an
interface
ERROR: 7012:
org.codehaus.cargo.container.deployer.Deploy
```

```
er: Method 'public void
redeploy(org.codehaus.cargo.container.deploy
able.Deployable)' has been added to an
interface
INFO: 8000:
org.codehaus.cargo.container.deployer.Deploy
erType: Class
org.codehaus.cargo.container.deployer.Deploy
erType added
ERROR: 7012:
org.codehaus.cargo.container.installer.Insta
ller: Method 'public java.io.File getHome()'
has been added to an interface
ERROR: 7002:
org.codehaus.cargo.container.installer.Insta
ller: Method 'public java.io.File
getHomeDir()' has been removed
INFO: 7011:
org.codehaus.cargo.container.installer.ZipUR
LInstaller: Method 'public java.io.File
getHome()' has been added
ERROR: 7002:
org.codehaus.cargo.container.installer.ZipUR
LInstaller: Method 'public java.io.File
getHomeDir()' has been removed
INFO: 7011:
org.codehaus.cargo.container.internal.J2EECo
ntainerCapability: Method 'public boolean
supportsDeployableType(org.codehaus.cargo.co
ntainer.deployable.DeployableType)' has been
added
```

```
ERROR: 7002:
org.codehaus.cargo.container.internal.J2EECo
ntainerCapability: Method 'public boolean
supportsEar()' has been removed
ERROR: 7002:
org.codehaus.cargo.container.internal.J2EECo
ntainerCapability: Method 'public boolean
supportsWar()' has been removed
INFO: 8000:
org.codehaus.cargo.container.internal.Runnab
leContainer: Class
org.codehaus.cargo.container.internal.Runnab
leContainer added
INFO: 7011:
org.codehaus.cargo.container.internal.Servle
tContainerCapability: Method 'public boolean
supportsDeployableType(org.codehaus.cargo.co
ntainer.deployable.DeployableType)' has been
added
ERROR: 7002:
org.codehaus.cargo.container.internal.Servle
tContainerCapability: Method 'public boolean
supportsEar()' has been removed
ERROR: 7002:
org.codehaus.cargo.container.internal.Servle
tContainerCapability: Method 'public boolean
supportsWar()' has been removed
ERROR: 8001:
org.codehaus.cargo.container.internal.jetty.
JettyExecutorThread: Class
org.codehaus.cargo.container.internal.jetty.
```

```
JettyExecutorThread removed
ERROR: 8001:
org.codehaus.cargo.container.internal.jetty.
JettyStandaloneConfigurationCapability:
Class
org.codehaus.cargo.container.internal.jetty.
JettyStandaloneConfigurationCapability
removed
ERROR: 8001:
org.codehaus.cargo.container.internal.jo.Jo1
xStandaloneConfigurationCapability: Class
org.codehaus.cargo.container.internal.jo.Jo1
xStandaloneConfigurationCapability removed
ERROR: 8001:
org.codehaus.cargo.container.internal.orion.
OrionStandaloneConfigurationCapability:
Class
org.codehaus.cargo.container.internal.orion.
OrionStandaloneConfigurationCapability
removed
ERROR: 8001:
org.codehaus.cargo.container.internal.resin.
ResinRun: Class
org.codehaus.cargo.container.internal.resin.
ResinRun removed
ERROR: 8001:
org.codehaus.cargo.container.internal.resin.
ResinStandaloneConfigurationCapability:
Class
org.codehaus.cargo.container.internal.resin.
ResinStandaloneConfigurationCapability
```

```
removed
ERROR: 8001:
org.codehaus.cargo.container.internal.resin.
ResinUtil: Class
org.codehaus.cargo.container.internal.resin.
ResinUtil removed
ERROR: 8001:
org.codehaus.cargo.container.internal.tomcat
.TomcatStandaloneConfigurationCapability:
Class
org.codehaus.cargo.container.internal.tomcat
.TomcatStandaloneConfigurationCapability
removed
INFO: 7011:
org.codehaus.cargo.container.internal.util.A
ntUtils: Method 'public
org.apache.tools.ant.types.Environment$Varia
ble createSysProperty(java.lang.String,
java.net.URI)' has been added
ERROR: 8001:
org.codehaus.cargo.container.internal.weblog
ic.WebLogicStandaloneConfigurationCapability
: Class
org.codehaus.cargo.container.internal.weblog
ic.WebLogicStandaloneConfigurationCapability
removed
INFO: 8000:
org.codehaus.cargo.container.jboss.JBoss3xLo
calContainer: Class
org.codehaus.cargo.container.jboss.JBoss3xLo
calContainer added
```

```
INFO: 8000:
org.codehaus.cargo.container.jboss.JBoss4xLo
calContainer: Class
org.codehaus.cargo.container.jboss.JBoss4xLo
calContainer added
INFO: 8000:
org.codehaus.cargo.container.jboss.JBossDepl
oyer: Class
org.codehaus.cargo.container.jboss.JBossDepl
oyer added
INFO: 8000:
org.codehaus.cargo.container.jboss.JBossExis
tingLocalConfiguration: Class
org.codehaus.cargo.container.jboss.JBossExis
tingLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.jboss.JBossProp
ertySet: Class
org.codehaus.cargo.container.jboss.JBossProp
ertySet added
INFO: 8000:
org.codehaus.cargo.container.jboss.JBossStan
daloneLocalConfiguration: Class
org.codehaus.cargo.container.jboss.JBossStan
daloneLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.jboss.JBossWAR:
Class
org.codehaus.cargo.container.jboss.JBossWAR
added
INFO: 8000:
```

```
org.codehaus.cargo.container.jboss.internal.
AbstractJBossLocalContainer: Class
org.codehaus.cargo.container.jboss.internal.
AbstractJBossLocalContainer added
INFO: 8000:
org.codehaus.cargo.container.jboss.internal.
JBossContainerCapability: Class
org.codehaus.cargo.container.jboss.internal.
JBossContainerCapability added
INFO: 8000:
org.codehaus.cargo.container.jboss.internal.
JBossStandaloneLocalConfigurationCapability:
Class
org.codehaus.cargo.container.jboss.internal.
JBossStandaloneLocalConfigurationCapability
added
ERROR: 8001:
org.codehaus.cargo.container.jetty.Jetty4xEm
beddedContainer: Class
org.codehaus.cargo.container.jetty.Jetty4xEm
beddedContainer removed
INFO: 8000:
org.codehaus.cargo.container.jetty.Jetty4xEm
beddedLocalContainer: Class
org.codehaus.cargo.container.jetty.Jetty4xEm
beddedLocalContainer added
ERROR: 7005:
org.codehaus.cargo.container.jetty.JettyDepl
oyer: Parameter 1 of 'public
JettyDeployer(org.codehaus.cargo.container.C
ontainer)' has changed its type to
```

```
org.codehaus.cargo.container.LocalContainer
INFO: 7011:
org.codehaus.cargo.container.jetty.JettyDepl
oyer: Method 'public
org.codehaus.cargo.container.deployer.Deploy
erType getType()' has been added
INFO: 7011:
org.codehaus.cargo.container.jetty.JettyDepl
oyer: Method 'public void
redeploy(org.codehaus.cargo.container.deploy
able.Deployable)' has been added
ERROR: 8001:
org.codehaus.cargo.container.jetty.JettyStan
daloneConfiguration: Class
org.codehaus.cargo.container.jetty.JettyStan
daloneConfiguration removed
INFO: 8000:
org.codehaus.cargo.container.jetty.JettyStan
daloneLocalConfiguration: Class
org.codehaus.cargo.container.jetty.JettyStan
daloneLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.jetty.internal.
JettyExecutorThread: Class
org.codehaus.cargo.container.jetty.internal.
JettyExecutorThread added
INFO: 8000:
org.codehaus.cargo.container.jetty.internal.
JettyStandaloneLocalConfigurationCapability:
Class
org.codehaus.cargo.container.jetty.internal.
```

```
JettyStandaloneLocalConfigurationCapability
added
ERROR: 8001:
org.codehaus.cargo.container.jo.Jo1xContaine
r: Class
org.codehaus.cargo.container.jo.Jo1xContaine
r removed
ERROR: 5001:
org.codehaus.cargo.container.jo.Jo1xDeployer
: Removed
org.codehaus.cargo.container.spi.AbstractCop
yingDeployer from the list of superclasses
INFO: 5000:
org.codehaus.cargo.container.jo.Jo1xDeployer
: Added
org.codehaus.cargo.container.spi.deployer.Ab
stractCopyingDeployer to the list of
superclasses
INFO: 5000:
org.codehaus.cargo.container.jo.Jo1xDeployer
: Added
org.codehaus.cargo.container.spi.deployer.Ab
stractDeployer to the list of superclasses
INFO: 5000:
org.codehaus.cargo.container.jo.Jo1xDeployer
: Added
org.codehaus.cargo.container.spi.deployer.Ab
stractLocalDeployer to the list of
superclasses
ERROR: 7005:
org.codehaus.cargo.container.jo.Jo1xDeployer
```

```
: Parameter 1 of 'public
Jo1xDeployer(org.codehaus.cargo.container.Co
ntainer)' has changed its type to
org.codehaus.cargo.container.LocalContainer
INFO: 8000:
org.codehaus.cargo.container.jo.Jo1xLocalCon
tainer: Class
org.codehaus.cargo.container.jo.Jo1xLocalCon
tainer added
ERROR: 8001:
org.codehaus.cargo.container.jo.Jo1xStandalo
neConfiguration: Class
org.codehaus.cargo.container.jo.Jo1xStandalo
neConfiguration removed
INFO: 8000:
org.codehaus.cargo.container.jo.Jo1xStandalo
neLocalConfiguration: Class
org.codehaus.cargo.container.jo.Jo1xStandalo
neLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.jo.internal.Jo1
xStandaloneLocalConfigurationCapability:
Class
org.codehaus.cargo.container.jo.internal.Jo1
xStandaloneLocalConfigurationCapability
added
INFO: 8000:
org.codehaus.cargo.container.jsr88.GenericJS
R88Configuration: Class
org.codehaus.cargo.container.jsr88.GenericJS
R88Configuration added
```

```
INFO: 8000:
org.codehaus.cargo.container.jsr88.JSR88Conf
igurationCapability: Class
org.codehaus.cargo.container.jsr88.JSR88Conf
igurationCapability added
INFO: 8000:
org.codehaus.cargo.container.jsr88.JSR88Depl
oyer: Class
org.codehaus.cargo.container.jsr88.JSR88Depl
oyer added
ERROR: 8001:
org.codehaus.cargo.container.orion.AbstractO
rionContainer: Class
org.codehaus.cargo.container.orion.AbstractO
rionContainer removed
ERROR: 8001:
org.codehaus.cargo.container.orion.Oc4j9xCon
tainer: Class
org.codehaus.cargo.container.orion.Oc4j9xCon
tainer removed
INFO: 8000:
org.codehaus.cargo.container.orion.Oc4j9xLoc
alContainer: Class
org.codehaus.cargo.container.orion.Oc4j9xLoc
alContainer added
ERROR: 8001:
org.codehaus.cargo.container.orion.Orion1xCo
ntainer: Class
org.codehaus.cargo.container.orion.Orion1xCo
ntainer removed
INFO: 8000:
```

```
org.codehaus.cargo.container.orion.Orion1xLo
calContainer: Class
org.codehaus.cargo.container.orion.Orion1xLo
calContainer added
ERROR: 8001:
org.codehaus.cargo.container.orion.Orion2xCo
ntainer: Class
org.codehaus.cargo.container.orion.Orion2xCo
ntainer removed
INFO: 8000:
org.codehaus.cargo.container.orion.Orion2xLo
calContainer: Class
org.codehaus.cargo.container.orion.Orion2xLo
calContainer added
ERROR: 8001:
org.codehaus.cargo.container.orion.OrionStan
daloneConfiguration: Class
org.codehaus.cargo.container.orion.OrionStan
daloneConfiguration removed
INFO: 8000:
org.codehaus.cargo.container.orion.OrionStan
daloneLocalConfiguration: Class
org.codehaus.cargo.container.orion.OrionStan
daloneLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.orion.internal.
AbstractOrionLocalContainer: Class
org.codehaus.cargo.container.orion.internal.
AbstractOrionLocalContainer added
INFO: 8000:
org.codehaus.cargo.container.orion.internal.
```

```
OrionStandaloneLocalConfigurationCapability:
Class
org.codehaus.cargo.container.orion.internal.
OrionStandaloneLocalConfigurationCapability
added
INFO: 6000:
org.codehaus.cargo.container.property.Genera
lPropertySet: Added public field PROTOCOL
INFO: 8000:
org.codehaus.cargo.container.property.JSR88P
ropertySet: Class
org.codehaus.cargo.container.property.JSR88P
ropertySet added
INFO: 8000:
org.codehaus.cargo.container.property.Remote
PropertySet: Class
org.codehaus.cargo.container.property.Remote
PropertySet added
ERROR: 8001:
org.codehaus.cargo.container.resin.AbstractR
esinContainer: Class
org.codehaus.cargo.container.resin.AbstractR
esinContainer removed
ERROR: 8001:
org.codehaus.cargo.container.resin.AbstractR
esinStandaloneConfiguration: Class
org.codehaus.cargo.container.resin.AbstractR
esinStandaloneConfiguration removed
ERROR: 8001:
org.codehaus.cargo.container.resin.Resin2xCo
ntainer: Class
```

```
org.codehaus.cargo.container.resin.Resin2xCo
ntainer removed
INFO: 8000:
org.codehaus.cargo.container.resin.Resin2xLo
calContainer: Class
org.codehaus.cargo.container.resin.Resin2xLo
calContainer added
ERROR: 8001:
org.codehaus.cargo.container.resin.Resin2xSt
andaloneConfiguration: Class
org.codehaus.cargo.container.resin.Resin2xSt
andaloneConfiguration removed
INFO: 8000:
org.codehaus.cargo.container.resin.Resin2xSt
andaloneLocalConfiguration: Class
org.codehaus.cargo.container.resin.Resin2xSt
andaloneLocalConfiguration added
ERROR: 8001:
org.codehaus.cargo.container.resin.Resin3xCo
ntainer: Class
org.codehaus.cargo.container.resin.Resin3xCo
ntainer removed
INFO: 8000:
org.codehaus.cargo.container.resin.Resin3xLo
calContainer: Class
org.codehaus.cargo.container.resin.Resin3xLo
calContainer added
ERROR: 8001:
org.codehaus.cargo.container.resin.Resin3xSt
andaloneConfiguration: Class
org.codehaus.cargo.container.resin.Resin3xSt
```

```
andaloneConfiguration removed
INFO: 8000:
org.codehaus.cargo.container.resin.Resin3xSt
andaloneLocalConfiguration: Class
org.codehaus.cargo.container.resin.Resin3xSt
andaloneLocalConfiguration added
ERROR: 5001:
org.codehaus.cargo.container.resin.ResinDepl
oyer: Removed
org.codehaus.cargo.container.spi.AbstractCop
yingDeployer from the list of superclasses
INFO: 5000:
org.codehaus.cargo.container.resin.ResinDepl
oyer: Added
org.codehaus.cargo.container.spi.deployer.Ab
stractCopyingDeployer to the list of
superclasses
INFO: 5000:
org.codehaus.cargo.container.resin.ResinDepl
oyer: Added
org.codehaus.cargo.container.spi.deployer.Ab
stractDeployer to the list of superclasses
INFO: 5000:
org.codehaus.cargo.container.resin.ResinDepl
oyer: Added
org.codehaus.cargo.container.spi.deployer.Ab
stractLocalDeployer to the list of
superclasses
ERROR: 7005:
org.codehaus.cargo.container.resin.ResinDepl
oyer: Parameter 1 of 'public
```

```
ResinDeployer(org.codehaus.cargo.container.C
ontainer)' has changed its type to
org.codehaus.cargo.container.LocalContainer
ERROR: 8001:
org.codehaus.cargo.container.resin.ResinExis
tingConfiguration: Class
org.codehaus.cargo.container.resin.ResinExis
tingConfiguration removed
INFO: 8000:
org.codehaus.cargo.container.resin.ResinExis
tingLocalConfiguration: Class
org.codehaus.cargo.container.resin.ResinExis
tingLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.resin.internal.
AbstractResinLocalContainer: Class
org.codehaus.cargo.container.resin.internal.
AbstractResinLocalContainer added
INFO: 8000:
org.codehaus.cargo.container.resin.internal.
AbstractResinStandaloneLocalConfiguration:
Class
org.codehaus.cargo.container.resin.internal.
AbstractResinStandaloneLocalConfiguration
added
INFO: 8000:
org.codehaus.cargo.container.resin.internal.
ResinRun: Class
org.codehaus.cargo.container.resin.internal.
ResinRun added
INFO: 8000:
```

```
org.codehaus.cargo.container.resin.internal.
ResinStandaloneLocalConfigurationCapability:
Class
org.codehaus.cargo.container.resin.internal.
ResinStandaloneLocalConfigurationCapability
added
INFO: 8000:
org.codehaus.cargo.container.resin.internal.
ResinUtil: Class
org.codehaus.cargo.container.resin.internal.
ResinUtil added
ERROR: 8001:
org.codehaus.cargo.container.spi.AbstractCon
figuration: Class
org.codehaus.cargo.container.spi.AbstractCon
figuration removed
ERROR: 7004:
org.codehaus.cargo.container.spi.AbstractCon
tainer: In method 'public
AbstractContainer(org.codehaus.cargo.contain
er.configuration.Configuration)' the number
of arguments has changed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'protected void
addToolsJarToClasspath(org.apache.tools.ant.
types.Path)' has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'protected void
doStart(org.apache.tools.ant.taskdefs.Java)'
```

```
has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'protected void
doStop(org.apache.tools.ant.taskdefs.Java)'
has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'protected
org.codehaus.cargo.container.internal.util.A
ntUtils getAntUtils()' has been removed
ERROR: 7013:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Abstract method 'public
org.codehaus.cargo.container.ContainerCapabi
lity getCapability()' has been added
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public
org.codehaus.cargo.container.configuration.C
onfiguration getConfiguration()' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public java.lang.String[]
getExtraClasspath()' has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'protected
org.codehaus.cargo.util.FileUtils
getFileUtils()' has been removed
```

```
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public java.io.File
getHomeDir()' has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'protected
org.codehaus.cargo.container.internal.util.H
ttpUtils getHttpUtils()' has been removed
ERROR: 7013:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Abstract method 'public
java.lang.String getId()' has been added
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'protected
org.codehaus.cargo.container.internal.util.J
dkUtils getJdkUtils()' has been removed
ERROR: 7013:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Abstract method 'public
java.lang.String getName()' has been added
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public java.io.File
getOutput()' has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'protected
org.codehaus.cargo.container.internal.util.R
esourceUtils getResourceUtils()' has been
```

```
removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public java.util.Map
getSystemProperties()' has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public long getTimeout()'
has been removed
ERROR: 7013:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Abstract method 'public
org.codehaus.cargo.container.ContainerType
getType()' has been added
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public boolean isAppend()'
has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public void
setAppend(boolean)' has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public void
setConfiguration(org.codehaus.cargo.containe
r.configuration.Configuration)' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public void
```

```
setExtraClasspath(java.lang.String[])' has
been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public void
setHomeDir(java.io.File)' has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public void
setHomeDir(java.lang.String)' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public void
setOutput(java.io.File)' has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'protected void
setState(org.codehaus.cargo.container.State)
' has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public void
setSystemProperties(java.util.Map)' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public void
setTimeout(long)' has been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
```

```
tainer: Method 'public void start()' has
been removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'public void stop()' has been
removed
ERROR: 7002:
org.codehaus.cargo.container.spi.AbstractCon
tainer: Method 'protected void
verifyHomeDir()' has been removed
ERROR: 8001:
org.codehaus.cargo.container.spi.AbstractCop
yingDeployer: Class
org.codehaus.cargo.container.spi.AbstractCop
yingDeployer removed
INFO: 8000:
org.codehaus.cargo.container.spi.AbstractLoc
alContainer: Class
org.codehaus.cargo.container.spi.AbstractLoc
alContainer added
INFO: 8000:
org.codehaus.cargo.container.spi.AbstractRem
oteContainer: Class
org.codehaus.cargo.container.spi.AbstractRem
oteContainer added
ERROR: 8001:
org.codehaus.cargo.container.spi.AbstractSta
ndaloneConfiguration: Class
org.codehaus.cargo.container.spi.AbstractSta
ndaloneConfiguration removed
ERROR: 8001:
```

```
org.codehaus.cargo.container.spi.AbstractSta
ndaloneConfigurationCapability: Class
org.codehaus.cargo.container.spi.AbstractSta
ndaloneConfigurationCapability removed
ERROR: 8001:
org.codehaus.cargo.container.spi.ContainerCo
nfiguration: Class
org.codehaus.cargo.container.spi.ContainerCo
nfiguration removed
ERROR: 8001:
org.codehaus.cargo.container.spi.DefaultServ
erRun: Class
org.codehaus.cargo.container.spi.DefaultServ
erRun removed
ERROR: 8001:
org.codehaus.cargo.container.spi.DeployerWat
chdog: Class
org.codehaus.cargo.container.spi.DeployerWat
chdog removed
INFO: 8000:
org.codehaus.cargo.container.spi.configurati
on.AbstractConfiguration: Class
org.codehaus.cargo.container.spi.configurati
on.AbstractConfiguration added
INFO: 8000:
org.codehaus.cargo.container.spi.configurati
on.AbstractExistingLocalConfiguration: Class
org.codehaus.cargo.container.spi.configurati
on.AbstractExistingLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.spi.configurati
```

```
on.AbstractLocalConfiguration: Class
org.codehaus.cargo.container.spi.configurati
on.AbstractLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.spi.configurati
on.AbstractRuntimeConfiguration: Class
org.codehaus.cargo.container.spi.configurati
on.AbstractRuntimeConfiguration added
INFO: 8000:
org.codehaus.cargo.container.spi.configurati
on.AbstractRuntimeConfigurationCapability:
Class
org.codehaus.cargo.container.spi.configurati
on.AbstractRuntimeConfigurationCapability
added
INFO: 8000:
org.codehaus.cargo.container.spi.configurati
on.AbstractStandaloneLocalConfiguration:
Class
org.codehaus.cargo.container.spi.configurati
on.AbstractStandaloneLocalConfiguration
added
INFO: 8000:
org.codehaus.cargo.container.spi.configurati
on.AbstractStandaloneLocalConfigurationCapab
ility: Class
org.codehaus.cargo.container.spi.configurati
on.AbstractStandaloneLocalConfigurationCapab
ility added
INFO: 8000:
org.codehaus.cargo.container.spi.configurati
```

```
on.ContainerConfiguration: Class
org.codehaus.cargo.container.spi.configurati
on.ContainerConfiguration added
INFO: 8000:
org.codehaus.cargo.container.spi.deployer.Ab
stractCopyingDeployer: Class
org.codehaus.cargo.container.spi.deployer.Ab
stractCopyingDeployer added
INFO: 8000:
org.codehaus.cargo.container.spi.deployer.Ab
stractDeployer: Class
org.codehaus.cargo.container.spi.deployer.Ab
stractDeployer added
INFO: 8000:
org.codehaus.cargo.container.spi.deployer.Ab
stractLocalDeployer: Class
org.codehaus.cargo.container.spi.deployer.Ab
stractLocalDeployer added
INFO: 8000:
org.codehaus.cargo.container.spi.deployer.Ab
stractRemoteDeployer: Class
org.codehaus.cargo.container.spi.deployer.Ab
stractRemoteDeployer added
INFO: 8000:
org.codehaus.cargo.container.spi.deployer.De
ployerWatchdog: Class
org.codehaus.cargo.container.spi.deployer.De
ployerWatchdog added
INFO: 8000:
org.codehaus.cargo.container.spi.util.Contai
nerUtils: Class
```

```
org.codehaus.cargo.container.spi.util.Contai
nerUtils added
INFO: 8000:
org.codehaus.cargo.container.spi.util.Defaul
tServerRun: Class
org.codehaus.cargo.container.spi.util.Defaul
tServerRun added
ERROR: 8001:
org.codehaus.cargo.container.tomcat.Abstract
CatalinaContainer: Class
org.codehaus.cargo.container.tomcat.Abstract
CatalinaContainer removed
ERROR: 8001:
org.codehaus.cargo.container.tomcat.Abstract
TomcatContainer: Class
org.codehaus.cargo.container.tomcat.Abstract
TomcatContainer removed
INFO: 8000:
org.codehaus.cargo.container.tomcat.Abstract
TomcatRemoteContainer: Class
org.codehaus.cargo.container.tomcat.Abstract
TomcatRemoteContainer added
ERROR: 8001:
org.codehaus.cargo.container.tomcat.Abstract
TomcatStandaloneConfiguration: Class
org.codehaus.cargo.container.tomcat.Abstract
TomcatStandaloneConfiguration removed
ERROR: 8001:
org.codehaus.cargo.container.tomcat.Catalina
StandaloneConfiguration: Class
org.codehaus.cargo.container.tomcat.Catalina
```

```
StandaloneConfiguration removed
ERROR: 8001:
org.codehaus.cargo.container.tomcat.Tomcat3x
Container: Class
org.codehaus.cargo.container.tomcat.Tomcat3x
Container removed
INFO: 8000:
org.codehaus.cargo.container.tomcat.Tomcat3x
LocalContainer: Class
org.codehaus.cargo.container.tomcat.Tomcat3x
LocalContainer added
INFO: 8000:
org.codehaus.cargo.container.tomcat.Tomcat3x
StandaloneLocalConfiguration: Class
org.codehaus.cargo.container.tomcat.Tomcat3x
StandaloneLocalConfiguration added
ERROR: 8001:
org.codehaus.cargo.container.tomcat.Tomcat4x
Container: Class
org.codehaus.cargo.container.tomcat.Tomcat4x
Container removed
INFO: 8000:
org.codehaus.cargo.container.tomcat.Tomcat4x
LocalContainer: Class
org.codehaus.cargo.container.tomcat.Tomcat4x
LocalContainer added
INFO: 8000:
org.codehaus.cargo.container.tomcat.Tomcat4x
RemoteContainer: Class
org.codehaus.cargo.container.tomcat.Tomcat4x
RemoteContainer added
```

```
INFO: 8000:
org.codehaus.cargo.container.tomcat.Tomcat4x
StandaloneLocalConfiguration: Class
org.codehaus.cargo.container.tomcat.Tomcat4x
StandaloneLocalConfiguration added
ERROR: 8001:
org.codehaus.cargo.container.tomcat.Tomcat5x
Container: Class
org.codehaus.cargo.container.tomcat.Tomcat5x
Container removed
INFO: 8000:
org.codehaus.cargo.container.tomcat.Tomcat5x
LocalContainer: Class
org.codehaus.cargo.container.tomcat.Tomcat5x
LocalContainer added
INFO: 8000:
org.codehaus.cargo.container.tomcat.Tomcat5x
RemoteContainer: Class
org.codehaus.cargo.container.tomcat.Tomcat5x
RemoteContainer added
INFO: 8000:
org.codehaus.cargo.container.tomcat.Tomcat5x
StandaloneLocalConfiguration: Class
org.codehaus.cargo.container.tomcat.Tomcat5x
StandaloneLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.tomcat.TomcatCo
pyingLocalDeployer: Class
org.codehaus.cargo.container.tomcat.TomcatCo
pyingLocalDeployer added
INFO: 8000:
```

```
org.codehaus.cargo.container.tomcat.TomcatEx
istingLocalConfiguration: Class
org.codehaus.cargo.container.tomcat.TomcatEx
istingLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.tomcat.TomcatLo
calDeployer: Class
org.codehaus.cargo.container.tomcat.TomcatLo
calDeployer added
INFO: 6000:
org.codehaus.cargo.container.tomcat.TomcatPr
opertySet: Added public field
MANAGER_PASSWORD
INFO: 6000:
org.codehaus.cargo.container.tomcat.TomcatPr
opertySet: Added public field MANAGER_URL
INFO: 6000:
org.codehaus.cargo.container.tomcat.TomcatPr
opertySet: Added public field
MANAGER_USERNAME
INFO: 8000:
org.codehaus.cargo.container.tomcat.TomcatRe
moteDeployer: Class
org.codehaus.cargo.container.tomcat.TomcatRe
moteDeployer added
INFO: 8000:
org.codehaus.cargo.container.tomcat.TomcatRu
ntimeConfiguration: Class
org.codehaus.cargo.container.tomcat.TomcatRu
ntimeConfiguration added
ERROR: 8001:
```

```
org.codehaus.cargo.container.tomcat.TomcatSt
andaloneConfiguration: Class
org.codehaus.cargo.container.tomcat.TomcatSt
andaloneConfiguration removed
INFO: 8000:
org.codehaus.cargo.container.tomcat.TomcatWA
R: Class
org.codehaus.cargo.container.tomcat.TomcatWA
R added
INFO: 8000:
org.codehaus.cargo.container.tomcat.internal
.AbstractCatalinaLocalContainer: Class
org.codehaus.cargo.container.tomcat.internal
.AbstractCatalinaLocalContainer added
INFO: 8000:
org.codehaus.cargo.container.tomcat.internal
.AbstractCatalinaStandaloneLocalConfiguratio
n: Class
org.codehaus.cargo.container.tomcat.internal
.AbstractCatalinaStandaloneLocalConfiguratio
n added
INFO: 8000:
org.codehaus.cargo.container.tomcat.internal
.AbstractTomcatDeployer: Class
org.codehaus.cargo.container.tomcat.internal
.AbstractTomcatDeployer added
INFO: 8000:
org.codehaus.cargo.container.tomcat.internal
.AbstractTomcatLocalContainer: Class
org.codehaus.cargo.container.tomcat.internal
.AbstractTomcatLocalContainer added
```

```
INFO: 8000:
org.codehaus.cargo.container.tomcat.internal
.AbstractTomcatStandaloneLocalConfiguration:
Class
org.codehaus.cargo.container.tomcat.internal
.AbstractTomcatStandaloneLocalConfiguration
added
INFO: 8000:
org.codehaus.cargo.container.tomcat.internal
.TomcatManager: Class
org.codehaus.cargo.container.tomcat.internal
.TomcatManager added
INFO: 8000:
org.codehaus.cargo.container.tomcat.internal
.TomcatManagerException: Class
org.codehaus.cargo.container.tomcat.internal
.TomcatManagerException added
INFO: 8000:
org.codehaus.cargo.container.tomcat.internal
.TomcatRuntimeConfigurationCapability: Class
org.codehaus.cargo.container.tomcat.internal
.TomcatRuntimeConfigurationCapability added
INFO: 8000:
org.codehaus.cargo.container.tomcat.internal
.TomcatStandaloneLocalConfigurationCapabilit
y: Class
org.codehaus.cargo.container.tomcat.internal
.TomcatStandaloneLocalConfigurationCapabilit
y added
ERROR: 8001:
org.codehaus.cargo.container.weblogic.Abstra
```

```
ctWebLogicContainer: Class
org.codehaus.cargo.container.weblogic.Abstra
ctWebLogicContainer removed
ERROR: 8001:
org.codehaus.cargo.container.weblogic.WebLog
ic8xContainer: Class
org.codehaus.cargo.container.weblogic.WebLog
ic8xContainer removed
INFO: 8000:
org.codehaus.cargo.container.weblogic.WebLog
ic8xLocalContainer: Class
org.codehaus.cargo.container.weblogic.WebLog
ic8xLocalContainer added
INFO: 8000:
org.codehaus.cargo.container.weblogic.WebLog
icExistingLocalConfiguration: Class
org.codehaus.cargo.container.weblogic.WebLog
icExistingLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.weblogic.WebLog
icPropertySet: Class
org.codehaus.cargo.container.weblogic.WebLog
icPropertySet added
ERROR: 8001:
org.codehaus.cargo.container.weblogic.WebLog
icStandaloneConfiguration: Class
org.codehaus.cargo.container.weblogic.WebLog
icStandaloneConfiguration removed
INFO: 8000:
org.codehaus.cargo.container.weblogic.WebLog
icStandaloneLocalConfiguration: Class
```

```
org.codehaus.cargo.container.weblogic.WebLog
icStandaloneLocalConfiguration added
INFO: 8000:
org.codehaus.cargo.container.weblogic.intern
al.AbstractWebLogicLocalContainer: Class
org.codehaus.cargo.container.weblogic.intern
al.AbstractWebLogicLocalContainer added
INFO: 8000:
org.codehaus.cargo.container.weblogic.intern
al.WebLogicExistingLocalConfigurationCapabil
ity: Class
org.codehaus.cargo.container.weblogic.intern
al.WebLogicExistingLocalConfigurationCapabil
ity added
INFO: 8000:
org.codehaus.cargo.container.weblogic.intern
al.WebLogicStandaloneLocalConfigurationCapab
ility: Class
org.codehaus.cargo.container.weblogic.intern
al.WebLogicStandaloneLocalConfigurationCapab
ility added
ERROR: 7005:
org.codehaus.cargo.generic.ContainerFactory:
Parameter 2 of 'public
org.codehaus.cargo.container.Container
createContainer(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType, java.io.File)' has changed
its type to
org.codehaus.cargo.container.ContainerType
ERROR: 7005:
```

```
org.codehaus.cargo.generic.ContainerFactory:
Parameter 3 of 'public
org.codehaus.cargo.container.Container
createContainer(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType, java.io.File)' has changed
its type to
org.codehaus.cargo.container.configuration.C
onfiguration
ERROR: 7002:
org.codehaus.cargo.generic.ContainerFactory:
Method 'public
org.codehaus.cargo.container.Container
createContainer(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType)' has been removed
ERROR: 7002:
org.codehaus.cargo.generic.ContainerFactory:
Method 'public
org.codehaus.cargo.container.Container
createContainer(java.lang.String)' has been
removed
ERROR: 7012:
org.codehaus.cargo.generic.ContainerFactory:
Method 'public boolean
isContainerRegistered(java.lang.String,
org.codehaus.cargo.container.ContainerType)'
has been added to an interface
ERROR: 7004:
org.codehaus.cargo.generic.ContainerFactory:
In method 'public void
```

```
registerContainer(java.lang.String,
java.lang.Class)' the number of arguments
has changed
INFO: 4000:
org.codehaus.cargo.generic.DefaultContainerF
actory: Added
org.codehaus.cargo.util.monitor.Monitorable
to the set of implemented interfaces
INFO: 5000:
org.codehaus.cargo.generic.DefaultContainerF
actory: Added
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory to the list of superclasses
INFO: 5000:
org.codehaus.cargo.generic.DefaultContainerF
actory: Added
org.codehaus.cargo.generic.spi.AbstractIntro
spectionGenericHintFactory to the list of
superclasses
INFO: 5000:
org.codehaus.cargo.generic.DefaultContainerF
actory: Added
org.codehaus.cargo.util.monitor.MonitoredObj
ect to the list of superclasses
ERROR: 7005:
org.codehaus.cargo.generic.DefaultContainerF
actory: Parameter 2 of 'public
org.codehaus.cargo.container.Container
createContainer(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType, java.io.File)' has changed
```

```
its type to
org.codehaus.cargo.container.ContainerType
ERROR: 7005:
org.codehaus.cargo.generic.DefaultContainerF
actory: Parameter 3 of 'public
org.codehaus.cargo.container.Container
createContainer(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType, java.io.File)' has changed
its type to
org.codehaus.cargo.container.configuration.C
onfiguration
ERROR: 7002:
org.codehaus.cargo.generic.DefaultContainerF
actory: Method 'public
org.codehaus.cargo.container.Container
createContainer(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType)' has been removed
ERROR: 7002:
org.codehaus.cargo.generic.DefaultContainerF
actory: Method 'public
org.codehaus.cargo.container.Container
createContainer(java.lang.String)' has been
removed
INFO: 7011:
org.codehaus.cargo.generic.DefaultContainerF
actory: Method 'protected java.lang.Object
createInstance(java.lang.reflect.Constructor
, java.lang.String,
org.codehaus.cargo.generic.spi.AbstractGener
```

```
icHintFactory$GenericParameters)' has been
added
INFO: 7011:
org.codehaus.cargo.generic.DefaultContainerF
actory: Method 'protected
java.lang.reflect.Constructor
getConstructor(java.lang.Class,
java.lang.String,
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory$GenericParameters)' has been
added
INFO: 7011:
org.codehaus.cargo.generic.DefaultContainerF
actory: Method 'public boolean
isContainerRegistered(java.lang.String,
org.codehaus.cargo.container.ContainerType)'
has been added
ERROR: 7004:
org.codehaus.cargo.generic.DefaultContainerF
actory: In method 'public void
registerContainer(java.lang.String,
java.lang.Class)' the number of arguments
has changed
INFO: 7011:
org.codehaus.cargo.generic.DefaultContainerF
actory: Method 'public void
registerContainer(java.lang.String,
java.lang.String,
org.codehaus.cargo.container.ContainerType)'
has been added
ERROR: 7002:
```

```
org.codehaus.cargo.generic.DefaultContainerF
actory: Method 'public void
setConfigurationFactory(org.codehaus.cargo.g
eneric.configuration.ConfigurationFactory)'
has been removed
ERROR: 7005:
org.codehaus.cargo.generic.configuration.Con
figurationFactory: Parameter 2 of 'public
org.codehaus.cargo.container.configuration.C
onfiguration
createConfiguration(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType)' has changed its type to
org.codehaus.cargo.container.configuration.C
onfigurationType
ERROR: 7005:
org.codehaus.cargo.generic.configuration.Con
figurationFactory: Parameter 2 of 'public
org.codehaus.cargo.container.configuration.C
onfiguration
createConfiguration(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType, java.io.File)' has changed
its type to
org.codehaus.cargo.container.configuration.C
onfigurationType
ERROR: 7005:
org.codehaus.cargo.generic.configuration.Con
figurationFactory: Parameter 2 of 'public
boolean
isConfigurationRegistered(java.lang.String,
```

```
org.codehaus.cargo.generic.configuration.Con
figurationType)' has changed its type to
org.codehaus.cargo.container.configuration.C
onfigurationType
ERROR: 7005:
org.codehaus.cargo.generic.configuration.Con
figurationFactory: Parameter 2 of 'public
void registerConfiguration(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType, java.lang.Class)' has
changed its type to
org.codehaus.cargo.container.configuration.C
onfigurationType
ERROR: 8001:
org.codehaus.cargo.generic.configuration.Con
figurationType: Class
org.codehaus.cargo.generic.configuration.Con
figurationType removed
INFO: 4000:
org.codehaus.cargo.generic.configuration.Def
aultConfigurationFactory: Added
org.codehaus.cargo.util.monitor.Monitorable
to the set of implemented interfaces
INFO: 5000:
org.codehaus.cargo.generic.configuration.Def
aultConfigurationFactory: Added
org.codehaus.cargo.generic.spi.AbstractIntro
spectionGenericHintFactory to the list of
superclasses
INFO: 5000:
org.codehaus.cargo.generic.configuration.Def
```

```
aultConfigurationFactory: Added
org.codehaus.cargo.util.monitor.MonitoredObj
ect to the list of superclasses
ERROR: 7005:
org.codehaus.cargo.generic.configuration.Def
aultConfigurationFactory: Parameter 2 of
'public
org.codehaus.cargo.container.configuration.C
onfiguration
createConfiguration(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType)' has changed its type to
org.codehaus.cargo.container.configuration.C
onfigurationType
ERROR: 7005:
org.codehaus.cargo.generic.configuration.Def
aultConfigurationFactory: Parameter 2 of
'public
org.codehaus.cargo.container.configuration.C
onfiguration
createConfiguration(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType, java.io.File)' has changed
its type to
org.codehaus.cargo.container.configuration.C
onfigurationType
ERROR: 7004:
org.codehaus.cargo.generic.configuration.Def
aultConfigurationFactory: In method
'protected java.lang.Object
createInstance(java.lang.reflect.Constructor
```

```
,
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory$GenericParameters)' the number
of arguments has changed
ERROR: 7004:
org.codehaus.cargo.generic.configuration.Def
aultConfigurationFactory: In method
'protected java.lang.reflect.Constructor
getConstructor(java.lang.Class,
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory$GenericParameters)' the number
of arguments has changed
ERROR: 7005:
org.codehaus.cargo.generic.configuration.Def
aultConfigurationFactory: Parameter 2 of
'public boolean
isConfigurationRegistered(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType)' has changed its type to
org.codehaus.cargo.container.configuration.C
onfigurationType
ERROR: 7005:
org.codehaus.cargo.generic.configuration.Def
aultConfigurationFactory: Parameter 2 of
'public void
registerConfiguration(java.lang.String,
org.codehaus.cargo.generic.configuration.Con
figurationType, java.lang.Class)' has
changed its type to
org.codehaus.cargo.container.configuration.C
onfigurationType
```

```
INFO: 7011:
org.codehaus.cargo.generic.configuration.Def
aultConfigurationFactory: Method 'public
void registerConfiguration(java.lang.String,
java.lang.String,
org.codehaus.cargo.container.configuration.C
onfigurationType)' has been added
INFO: 4000:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Added
org.codehaus.cargo.util.monitor.Monitorable
to the set of implemented interfaces
INFO: 5000:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Added
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory to the list of superclasses
INFO: 5000:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Added
org.codehaus.cargo.generic.spi.AbstractIntro
spectionGenericHintFactory to the list of
superclasses
INFO: 5000:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Added
org.codehaus.cargo.util.monitor.MonitoredObj
ect to the list of superclasses
ERROR: 7005:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Parameter 3 of 'public
```

```
org.codehaus.cargo.container.deployable.Depl
oyable createDeployable(java.lang.String,
java.lang.String,
org.codehaus.cargo.generic.deployable.Deploy
ableType)' has changed its type to
org.codehaus.cargo.container.deployable.Depl
oyableType
INFO: 7011:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Method 'protected
java.lang.Object
createInstance(java.lang.reflect.Constructor
, java.lang.String,
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory$GenericParameters)' has been
added
INFO: 7011:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Method 'protected
java.lang.reflect.Constructor
getConstructor(java.lang.Class,
java.lang.String,
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory$GenericParameters)' has been
added
INFO: 7011:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Method 'public boolean
isDeployableRegistered(java.lang.String,
org.codehaus.cargo.container.deployable.Depl
oyableType)' has been added
```

```
INFO: 7011:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Method 'public void
registerDeployable(java.lang.String,
org.codehaus.cargo.container.deployable.Depl
oyableType, java.lang.Class)' has been added
INFO: 7011:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Method 'public void
registerDeployable(java.lang.String,
java.lang.String,
org.codehaus.cargo.container.deployable.Depl
oyableType)' has been added
ERROR: 7002:
org.codehaus.cargo.generic.deployable.Defaul
tDeployableFactory: Method 'public void
registerImplementation(java.lang.String,
java.util.Map)' has been removed
ERROR: 7005:
org.codehaus.cargo.generic.deployable.Deploy
ableFactory: Parameter 3 of 'public
org.codehaus.cargo.container.deployable.Depl
oyable createDeployable(java.lang.String,
java.lang.String,
org.codehaus.cargo.generic.deployable.Deploy
ableType)' has changed its type to
org.codehaus.cargo.container.deployable.Depl
oyableType
ERROR: 7012:
org.codehaus.cargo.generic.deployable.Deploy
ableFactory: Method 'public boolean
```

```
isDeployableRegistered(java.lang.String,
org.codehaus.cargo.container.deployable.Depl
oyableType)' has been added to an interface
ERROR: 7012:
org.codehaus.cargo.generic.deployable.Deploy
ableFactory: Method 'public void
registerDeployable(java.lang.String,
org.codehaus.cargo.container.deployable.Depl
oyableType, java.lang.Class)' has been added
to an interface
ERROR: 8001:
org.codehaus.cargo.generic.deployable.Deploy
ableType: Class
org.codehaus.cargo.generic.deployable.Deploy
ableType removed
INFO: 4000:
org.codehaus.cargo.generic.deployer.DefaultD
eployerFactory: Added
org.codehaus.cargo.util.monitor.Monitorable
to the set of implemented interfaces
INFO: 5000:
org.codehaus.cargo.generic.deployer.DefaultD
eployerFactory: Added
org.codehaus.cargo.generic.spi.AbstractIntro
spectionGenericHintFactory to the list of
superclasses
INFO: 5000:
org.codehaus.cargo.generic.deployer.DefaultD
eployerFactory: Added
org.codehaus.cargo.util.monitor.MonitoredObj
ect to the list of superclasses
```

```
ERROR: 7005:
org.codehaus.cargo.generic.deployer.DefaultD
eployerFactory: Parameter 2 of 'public
org.codehaus.cargo.container.deployer.Deploy
er
createDeployer(org.codehaus.cargo.container.
Container, java.lang.String)' has changed
its type to
org.codehaus.cargo.container.deployer.Deploy
erType
ERROR: 7004:
org.codehaus.cargo.generic.deployer.DefaultD
eployerFactory: In method 'protected
java.lang.Object
createInstance(java.lang.reflect.Constructor
,
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory$GenericParameters)' the number
of arguments has changed
ERROR: 7004:
org.codehaus.cargo.generic.deployer.DefaultD
eployerFactory: In method 'protected
java.lang.reflect.Constructor
getConstructor(java.lang.Class,
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory$GenericParameters)' the number
of arguments has changed
INFO: 7011:
org.codehaus.cargo.generic.deployer.DefaultD
eployerFactory: Method 'public boolean
isDeployerRegistered(java.lang.String,
```

```
org.codehaus.cargo.container.deployer.Deploy
erType)' has been added
ERROR: 7005:
org.codehaus.cargo.generic.deployer.DefaultD
eployerFactory: Parameter 2 of 'public void
registerDeployer(java.lang.String,
java.lang.String, java.lang.Class)' has
changed its type to
org.codehaus.cargo.container.deployer.Deploy
erType
INFO: 7011:
org.codehaus.cargo.generic.deployer.DefaultD
eployerFactory: Method 'public void
registerDeployer(java.lang.String,
java.lang.String,
org.codehaus.cargo.container.deployer.Deploy
erType)' has been added
ERROR: 6011:
org.codehaus.cargo.generic.deployer.Deployer
Factory: Field DEFAULT has been removed, but
it was previously a constant
ERROR: 7005:
org.codehaus.cargo.generic.deployer.Deployer
Factory: Parameter 2 of 'public
org.codehaus.cargo.container.deployer.Deploy
er
createDeployer(org.codehaus.cargo.container.
Container, java.lang.String)' has changed
its type to
org.codehaus.cargo.container.deployer.Deploy
erType
```

```
ERROR: 7012:
org.codehaus.cargo.generic.deployer.Deployer
Factory: Method 'public boolean
isDeployerRegistered(java.lang.String,
org.codehaus.cargo.container.deployer.Deploy
erType)' has been added to an interface
ERROR: 7005:
org.codehaus.cargo.generic.deployer.Deployer
Factory: Parameter 2 of 'public void
registerDeployer(java.lang.String,
java.lang.String, java.lang.Class)' has
changed its type to
org.codehaus.cargo.container.deployer.Deploy
erType
INFO: 4000:
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory: Added
org.codehaus.cargo.util.monitor.Monitorable
to the set of implemented interfaces
INFO: 5000:
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory: Added
org.codehaus.cargo.util.monitor.MonitoredObj
ect to the list of superclasses
ERROR: 7004:
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory: In method 'protected
java.lang.Object
createInstance(java.lang.reflect.Constructor
,
org.codehaus.cargo.generic.spi.AbstractGener
```

```
icHintFactory$GenericParameters)' the number
of arguments has changed
ERROR: 7004:
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory: In method 'protected
java.lang.reflect.Constructor
getConstructor(java.lang.Class,
org.codehaus.cargo.generic.spi.AbstractGener
icHintFactory$GenericParameters)' the number
of arguments has changed
INFO: 8000:
org.codehaus.cargo.generic.spi.AbstractIntro
spectionGenericHintFactory: Class
org.codehaus.cargo.generic.spi.AbstractIntro
spectionGenericHintFactory added
INFO: 8000:
org.codehaus.cargo.module.AbstractDescriptor
: Class
org.codehaus.cargo.module.AbstractDescriptor
added
INFO: 8000:
org.codehaus.cargo.module.AbstractDescriptor
Io: Class
org.codehaus.cargo.module.AbstractDescriptor
Io added
INFO: 8000:
org.codehaus.cargo.module.AbstractDescriptor
Tag: Class
org.codehaus.cargo.module.AbstractDescriptor
Tag added
INFO: 8000:
```

```
org.codehaus.cargo.module.J2eeDescriptor:
Class
org.codehaus.cargo.module.J2eeDescriptor
added
ERROR: 7012:
org.codehaus.cargo.module.application.Applic
ationXml: Method 'public void
addEjbModule(java.lang.String)' has been
added to an interface
INFO: 5000:
org.codehaus.cargo.module.application.Applic
ationXmlTag: Added
org.codehaus.cargo.module.AbstractDescriptor
Tag to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.application.Applic
ationXmlTag: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorTag from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.application.Defaul
tApplicationXml: Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.application.Defaul
tApplicationXml: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptor from the list of superclasses
INFO: 7011:
org.codehaus.cargo.module.application.Defaul
```

```
tApplicationXml: Method 'public void
addEjbModule(java.lang.String)' has been
added
INFO: 4000:
org.codehaus.cargo.module.ejb.EjbJarXml:
Added org.codehaus.cargo.module.Descriptor
to the set of implemented interfaces
INFO: 4000:
org.codehaus.cargo.module.ejb.EjbJarXml:
Added
org.codehaus.cargo.module.J2eeDescriptor to
the set of implemented interfaces
INFO: 5000:
org.codehaus.cargo.module.ejb.EjbJarXml:
Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.ejb.EjbJarXml:
Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptor from the list of superclasses
INFO: 7011:
org.codehaus.cargo.module.ejb.EjbJarXml:
Method 'public java.lang.String
getFileName()' has been added
ERROR: 7006:
org.codehaus.cargo.module.ejb.EjbJarXml:
Return type of method 'public
org.codehaus.cargo.module.ejb.VendorEjbDescr
iptor getVendorDescriptor()' has been
```

```
changed to
org.codehaus.cargo.module.Descriptor
INFO: 5000:
org.codehaus.cargo.module.ejb.EjbJarXmlIo:
Added
org.codehaus.cargo.module.AbstractDescriptor
Io to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.ejb.EjbJarXmlIo:
Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.ejb.EjbJarXmlTag:
Added
org.codehaus.cargo.module.AbstractDescriptor
Tag to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.ejb.EjbJarXmlTag:
Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorTag from the list of superclasses
INFO: 4000:
org.codehaus.cargo.module.ejb.VendorEjbDescr
iptor: Added
org.codehaus.cargo.module.Descriptor to the
set of implemented interfaces
INFO: 4000:
org.codehaus.cargo.module.ejb.orion.OrionEjb
JarXml: Added
org.codehaus.cargo.module.Descriptor to the
```

```
set of implemented interfaces
INFO: 5000:
org.codehaus.cargo.module.ejb.orion.OrionEjb
JarXml: Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.ejb.orion.OrionEjb
JarXml: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptor from the list of superclasses
INFO: 7011:
org.codehaus.cargo.module.ejb.orion.OrionEjb
JarXml: Method 'public java.lang.String
getFileName()' has been added
INFO: 5000:
org.codehaus.cargo.module.ejb.orion.OrionEjb
JarXmlIo: Added
org.codehaus.cargo.module.AbstractDescriptor
Io to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.ejb.orion.OrionEjb
JarXmlIo: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo from the list of superclasses
INFO: 4000:
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXml: Added
org.codehaus.cargo.module.Descriptor to the
set of implemented interfaces
INFO: 5000:
```

```
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXml: Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXml: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptor from the list of superclasses
INFO: 7011:
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXml: Method 'public void
addDispatchPolicy(org.codehaus.cargo.module.
ejb.EjbDef, java.lang.String)' has been
added
INFO: 7011:
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXml: Method 'public
java.lang.String
getDispatchPolicy(org.codehaus.cargo.module.
ejb.EjbDef)' has been added
INFO: 7011:
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXml: Method 'public
java.lang.String getFileName()' has been
added
INFO: 5000:
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXmlIo: Added
org.codehaus.cargo.module.AbstractDescriptor
Io to the list of superclasses
```

```
ERROR: 5001:
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXmlIo: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXmlTag: Added
org.codehaus.cargo.module.AbstractDescriptor
Tag to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXmlTag: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorTag from the list of superclasses
INFO: 6000:
org.codehaus.cargo.module.ejb.weblogic.Weblo
gicEjbJarXmlTag: Added public field
DISPATCH_POLICY
INFO: 4000:
org.codehaus.cargo.module.ejb.websphere.IbmE
jbJarBndXmi: Added
org.codehaus.cargo.module.Descriptor to the
set of implemented interfaces
INFO: 5000:
org.codehaus.cargo.module.ejb.websphere.IbmE
jbJarBndXmi: Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.ejb.websphere.IbmE
```

```
jbJarBndXmi: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptor from the list of superclasses
INFO: 7011:
org.codehaus.cargo.module.ejb.websphere.IbmE
jbJarBndXmi: Method 'public java.lang.String
getFileName()' has been added
INFO: 5000:
org.codehaus.cargo.module.ejb.websphere.IbmE
jbJarBndXmiIo: Added
org.codehaus.cargo.module.AbstractDescriptor
Io to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.ejb.websphere.IbmE
jbJarBndXmiIo: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo from the list of superclasses
INFO: 8000:
org.codehaus.cargo.module.internal.util.xml.
AbstractElement: Class
org.codehaus.cargo.module.internal.util.xml.
AbstractElement added
INFO: 8000:
org.codehaus.cargo.module.internal.util.xml.
AbstractNode: Class
org.codehaus.cargo.module.internal.util.xml.
AbstractNode added
INFO: 8000:
org.codehaus.cargo.module.internal.util.xml.
AbstractNodeList: Class
org.codehaus.cargo.module.internal.util.xml.
```

```
AbstractNodeList added
INFO: 8000:
org.codehaus.cargo.module.merge.AbstractMerg
eSet: Class
org.codehaus.cargo.module.merge.AbstractMerg
eSet added
INFO: 8000:
org.codehaus.cargo.module.merge.MergeElement
: Class
org.codehaus.cargo.module.merge.MergeElement
added
INFO: 8000:
org.codehaus.cargo.module.merge.MergeExcepti
on: Class
org.codehaus.cargo.module.merge.MergeExcepti
on added
INFO: 8000:
org.codehaus.cargo.module.merge.MergeNodeLis
t: Class
org.codehaus.cargo.module.merge.MergeNodeLis
t added
INFO: 8000:
org.codehaus.cargo.module.merge.MergePair:
Class
org.codehaus.cargo.module.merge.MergePair
added
INFO: 8000:
org.codehaus.cargo.module.merge.MergeProcess
or: Class
org.codehaus.cargo.module.merge.MergeProcess
or added
```

```
INFO: 8000:
org.codehaus.cargo.module.merge.MergeStrateg
y: Class
org.codehaus.cargo.module.merge.MergeStrateg
y added
ERROR: 8001:
org.codehaus.cargo.module.webapp.AbstractDes
criptor: Class
org.codehaus.cargo.module.webapp.AbstractDes
criptor removed
ERROR: 8001:
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo: Class
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo removed
ERROR: 8001:
org.codehaus.cargo.module.webapp.AbstractDes
criptorTag: Class
org.codehaus.cargo.module.webapp.AbstractDes
criptorTag removed
INFO: 4000:
org.codehaus.cargo.module.webapp.WebXml:
Added org.codehaus.cargo.module.Descriptor
to the set of implemented interfaces
INFO: 4000:
org.codehaus.cargo.module.webapp.WebXml:
Added
org.codehaus.cargo.module.J2eeDescriptor to
the set of implemented interfaces
INFO: 5000:
org.codehaus.cargo.module.webapp.WebXml:
```

```
Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.WebXml:
Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptor from the list of superclasses
ERROR: 7005:
org.codehaus.cargo.module.webapp.WebXml:
Parameter 1 of 'public void
addRootElement(org.codehaus.cargo.module.web
app.AbstractDescriptorTag,
org.w3c.dom.Element)' has changed its type
to
org.codehaus.cargo.module.AbstractDescriptor
Tag
INFO: 7011:
org.codehaus.cargo.module.webapp.WebXml:
Method 'public java.lang.String
getFileName()' has been added
ERROR: 7006:
org.codehaus.cargo.module.webapp.WebXml:
Return type of method 'public
org.codehaus.cargo.module.webapp.VendorWebAp
pDescriptor getVendorDescriptor()' has been
changed to
org.codehaus.cargo.module.Descriptor
ERROR: 7005:
org.codehaus.cargo.module.webapp.WebXml:
Parameter 1 of 'public void
```

```
replaceRootElement(org.codehaus.cargo.module
.webapp.AbstractDescriptorTag,
org.w3c.dom.Element)' has changed its type
to
org.codehaus.cargo.module.AbstractDescriptor
Tag
INFO: 5000:
org.codehaus.cargo.module.webapp.WebXmlIo:
Added
org.codehaus.cargo.module.AbstractDescriptor
Io to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.WebXmlIo:
Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo from the list of superclasses
ERROR: 7002:
org.codehaus.cargo.module.webapp.WebXmlIo:
Method 'public java.io.File[]
writeAll(org.codehaus.cargo.module.webapp.We
bXml, java.io.File)' has been removed
ERROR: 7002:
org.codehaus.cargo.module.webapp.WebXmlIo:
Method 'public void
writeWebXml(org.codehaus.cargo.module.webapp
.WebXml, java.io.File)' has been removed
ERROR: 7002:
org.codehaus.cargo.module.webapp.WebXmlIo:
Method 'public void
writeWebXml(org.codehaus.cargo.module.webapp
.WebXml, java.io.File, java.lang.String)'
```

```
has been removed
ERROR: 7002:
org.codehaus.cargo.module.webapp.WebXmlIo:
Method 'public void
writeWebXml(org.codehaus.cargo.module.webapp
.WebXml, java.io.File, java.lang.String,
boolean)' has been removed
ERROR: 7002:
org.codehaus.cargo.module.webapp.WebXmlIo:
Method 'public void
writeWebXml(org.codehaus.cargo.module.webapp
.WebXml, java.io.OutputStream,
java.lang.String, boolean)' has been removed
INFO: 5000:
org.codehaus.cargo.module.webapp.WebXmlTag:
Added
org.codehaus.cargo.module.AbstractDescriptor
Tag to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.WebXmlTag:
Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorTag from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.jboss.JBoss
WebXml: Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.jboss.JBoss
WebXml: Removed
```

```
org.codehaus.cargo.module.webapp.AbstractDes
criptor from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.jboss.JBoss
WebXmlIo: Added
org.codehaus.cargo.module.AbstractDescriptor
Io to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.jboss.JBoss
WebXmlIo: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.jboss.JBoss
WebXmlTag: Added
org.codehaus.cargo.module.AbstractDescriptor
Tag to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.jboss.JBoss
WebXmlTag: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorTag from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.orion.Orion
WebXml: Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.orion.Orion
WebXml: Removed
org.codehaus.cargo.module.webapp.AbstractDes
```

```
criptor from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.orion.Orion
WebXmlIo: Added
org.codehaus.cargo.module.AbstractDescriptor
Io to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.orion.Orion
WebXmlIo: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.tomcat.Tomc
atContextXml: Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.tomcat.Tomc
atContextXml: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptor from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.tomcat.Tomc
atContextXmlIo: Added
org.codehaus.cargo.module.AbstractDescriptor
Io to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.tomcat.Tomc
atContextXmlIo: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo from the list of superclasses
```

```
INFO: 5000:
org.codehaus.cargo.module.webapp.tomcat.Tomc
atContextXmlTag: Added
org.codehaus.cargo.module.AbstractDescriptor
Tag to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.tomcat.Tomc
atContextXmlTag: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorTag from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.weblogic.We
blogicXml: Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.weblogic.We
blogicXml: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptor from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.weblogic.We
blogicXmlIo: Added
org.codehaus.cargo.module.AbstractDescriptor
Io to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.weblogic.We
blogicXmlIo: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo from the list of superclasses
INFO: 5000:
```

```
org.codehaus.cargo.module.webapp.weblogic.We
blogicXmlTag: Added
org.codehaus.cargo.module.AbstractDescriptor
Tag to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.weblogic.We
blogicXmlTag: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorTag from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.websphere.I
bmWebBndXmi: Added
org.codehaus.cargo.module.AbstractDescriptor
to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.websphere.I
bmWebBndXmi: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptor from the list of superclasses
INFO: 5000:
org.codehaus.cargo.module.webapp.websphere.I
bmWebBndXmiIo: Added
org.codehaus.cargo.module.AbstractDescriptor
Io to the list of superclasses
ERROR: 5001:
org.codehaus.cargo.module.webapp.websphere.I
bmWebBndXmiIo: Removed
org.codehaus.cargo.module.webapp.AbstractDes
criptorIo from the list of superclasses
INFO: 8000: org.codehaus.cargo.util.Base64:
Class org.codehaus.cargo.util.Base64 added
```

INFO: 7011: org.codehaus.cargo.util.FileUtils: Method

```
'public java.io.File
createDirectory(java.net.URI,
java.lang.String)' has been added
```

Changes to the Ant API:

```
INFO: 7011:
org.codehaus.cargo.ant.CargoTask: Method
'protected java.lang.String getHome()' has
been added
ERROR: 7002:
org.codehaus.cargo.ant.CargoTask: Method
'protected java.io.File getHomeDir()' has
been removed
INFO: 7011:
org.codehaus.cargo.ant.CargoTask: Method
'public void setHint(java.lang.String)' has
been added
INFO: 7011:
org.codehaus.cargo.ant.CargoTask: Method
'public void setHome(java.lang.String)' has
been added
ERROR: 7002:
org.codehaus.cargo.ant.CargoTask: Method
'public void setHomeDir(java.io.File)' has
been removed
INFO: 7011:
org.codehaus.cargo.ant.CargoTask: Method
'public void
setType(org.codehaus.cargo.container.Contain
erType)' has been added
```

```
INFO: 7011:
org.codehaus.cargo.ant.CargoTask: Method
'protected void setupHome()' has been added
ERROR: 7002:
org.codehaus.cargo.ant.CargoTask: Method
'protected void setupHomeDir()' has been
removed
INFO: 7011:
org.codehaus.cargo.ant.ConfigurationElement:
Method 'public void
addConfiguredDeployable(org.codehaus.cargo.a
nt.DeployableElement)' has been added
ERROR: 7002:
org.codehaus.cargo.ant.ConfigurationElement:
Method 'public void
addConfiguredEar(org.codehaus.cargo.ant.EARE
lement)' has been removed
ERROR: 7002:
org.codehaus.cargo.ant.ConfigurationElement:
Method 'public void
addConfiguredWar(org.codehaus.cargo.ant.WARE
lement)' has been removed
INFO: 7011:
org.codehaus.cargo.ant.ConfigurationElement:
Method 'protected java.util.List
getDeployables()' has been added
ERROR: 7002:
org.codehaus.cargo.ant.ConfigurationElement:
Method 'protected java.util.List getEars()'
has been removed
ERROR: 7006:
```

```
org.codehaus.cargo.ant.ConfigurationElement:
Return type of method 'public
org.codehaus.cargo.generic.configuration.Con
figurationType getType()' has been changed
to
org.codehaus.cargo.container.configuration.C
onfigurationType
ERROR: 7002:
org.codehaus.cargo.ant.ConfigurationElement:
Method 'protected java.util.List getWars()'
has been removed
INFO: 8000:
org.codehaus.cargo.ant.DeployableElement:
Class
org.codehaus.cargo.ant.DeployableElement
added
ERROR: 8001:
org.codehaus.cargo.ant.EARElement: Class
org.codehaus.cargo.ant.EARElement removed
ERROR: 8001:
org.codehaus.cargo.ant.WARElement: Class
org.codehaus.cargo.ant.WARElement removed
ERROR: 8001:
org.codehaus.cargo.ant.jo.Jo1xCargoTask:
Class
org.codehaus.cargo.ant.jo.Jo1xCargoTask
removed
ERROR: 8001:
org.codehaus.cargo.ant.orion.Oc4j9xCargoTask
: Class
org.codehaus.cargo.ant.orion.Oc4j9xCargoTask
```

```
removed
ERROR: 8001:
org.codehaus.cargo.ant.orion.Orion1xCargoTas
k: Class
org.codehaus.cargo.ant.orion.Orion1xCargoTas
k removed
ERROR: 8001:
org.codehaus.cargo.ant.orion.Orion2xCargoTas
k: Class
org.codehaus.cargo.ant.orion.Orion2xCargoTas
k removed
ERROR: 8001:
org.codehaus.cargo.ant.resin.Resin2xCargoTas
k: Class
org.codehaus.cargo.ant.resin.Resin2xCargoTas
k removed
ERROR: 8001:
org.codehaus.cargo.ant.resin.Resin3xCargoTas
k: Class
org.codehaus.cargo.ant.resin.Resin3xCargoTas
k removed
ERROR: 8001:
org.codehaus.cargo.ant.tomcat.Tomcat3xCargoT
ask: Class
org.codehaus.cargo.ant.tomcat.Tomcat3xCargoT
ask removed
ERROR: 8001:
org.codehaus.cargo.ant.tomcat.Tomcat4xCargoT
ask: Class
org.codehaus.cargo.ant.tomcat.Tomcat4xCargoT
ask removed
```

```
ERROR: 8001:
org.codehaus.cargo.ant.tomcat.Tomcat5xCargoT
ask: Class
org.codehaus.cargo.ant.tomcat.Tomcat5xCargoT
ask removed
ERROR: 8001:
org.codehaus.cargo.ant.weblogic.WebLogic8xCa
```

```
rgoTask: Class
org.codehaus.cargo.ant.weblogic.WebLogic8xCa
rgoTask removed
```