

# Release notes for Cargo 0.5

## Implemented issues

com.atlassian.confluence.macro.MacroExecutionException: JIRA project does not exist or you do not have permission to view it.

## Source code changes

Changes detected by [Clirr](#) between cargo-0.4.jar and cargo-0.5.jar:

- [Core] org.codehaus.cargo.deployment.\* package moved to org.codehaus.cargo.module

```
ERROR: 8001: org.codehaus.cargo.deployment.DefaultJarArchive: Class
org.codehaus.cargo.deployment.DefaultJarArchive removed
ERROR: 8001: org.codehaus.cargo.deployment.JarArchive: Class
org.codehaus.cargo.deployment.JarArchive removed
ERROR: 8001: org.codehaus.cargo.deployment.application.ApplicationXml: Class
org.codehaus.cargo.deployment.application.ApplicationXml removed
ERROR: 8001: org.codehaus.cargo.deployment.application.ApplicationXmlIo: Class
org.codehaus.cargo.deployment.application.ApplicationXmlIo removed
ERROR: 8001:
org.codehaus.cargo.deployment.application.ApplicationXmlIo$ApplicationXmlEntityRe
solver: Class
org.codehaus.cargo.deployment.application.ApplicationXmlIo$ApplicationXmlEntityRe
solver removed
ERROR: 8001: org.codehaus.cargo.deployment.application.ApplicationXmlTag: Class
org.codehaus.cargo.deployment.application.ApplicationXmlTag removed
ERROR: 8001: org.codehaus.cargo.deployment.application.ApplicationXmlVersion:
Class org.codehaus.cargo.deployment.application.ApplicationXmlVersion removed
ERROR: 8001: org.codehaus.cargo.deployment.application.DefaultApplicationXml:
Class org.codehaus.cargo.deployment.application.DefaultApplicationXml removed
ERROR: 8001: org.codehaus.cargo.deployment.application.DefaultEarArchive: Class
org.codehaus.cargo.deployment.application.DefaultEarArchive removed
ERROR: 8001: org.codehaus.cargo.deployment.application.EarArchive: Class
org.codehaus.cargo.deployment.application.EarArchive removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.AbstractDescriptor: Class
org.codehaus.cargo.deployment.webapp.AbstractDescriptor removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.AbstractDescriptorIo: Class
org.codehaus.cargo.deployment.webapp.AbstractDescriptorIo removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.AbstractDescriptorTag: Class
org.codehaus.cargo.deployment.webapp.AbstractDescriptorTag removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.DefaultWarArchive: Class
org.codehaus.cargo.deployment.webapp.DefaultWarArchive removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.WarArchive: Class
org.codehaus.cargo.deployment.webapp.WarArchive removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.WebXml: Class
org.codehaus.cargo.deployment.webapp.WebXml removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.WebXmlIo: Class
org.codehaus.cargo.deployment.webapp.WebXmlIo removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.WebXmlIo$WebXmlEntityResolver:
Class org.codehaus.cargo.deployment.webapp.WebXmlIo$WebXmlEntityResolver removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.WebXmlMerger: Class
org.codehaus.cargo.deployment.webapp.WebXmlMerger removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.WebXmlTag: Class
org.codehaus.cargo.deployment.webapp.WebXmlTag removed
ERROR: 8001: org.codehaus.cargo.deployment.webapp.WebXmlVersion: Class
org.codehaus.cargo.deployment.webapp.WebXmlVersion removed
```

ERROR: 8001: org.codehaus.cargo.deployment.webapp.jboss.JBossWarArchive: Class  
org.codehaus.cargo.deployment.webapp.jboss.JBossWarArchive removed  
ERROR: 8001: org.codehaus.cargo.deployment.webapp.jboss.JBossWebXml: Class  
org.codehaus.cargo.deployment.webapp.jboss.JBossWebXml removed  
ERROR: 8001: org.codehaus.cargo.deployment.webapp.jboss.JBossWebXmlIo: Class  
org.codehaus.cargo.deployment.webapp.jboss.JBossWebXmlIo removed  
ERROR: 8001: org.codehaus.cargo.deployment.webapp.jboss.JBossWebXmlTag: Class  
org.codehaus.cargo.deployment.webapp.jboss.JBossWebXmlTag removed  
ERROR: 8001: org.codehaus.cargo.deployment.webapp.tomcat.TomcatContextXml: Class  
org.codehaus.cargo.deployment.webapp.tomcat.TomcatContextXml removed  
ERROR: 8001: org.codehaus.cargo.deployment.webapp.tomcat.TomcatContextXmlIo:  
Class org.codehaus.cargo.deployment.webapp.tomcat.TomcatContextXmlIo removed  
ERROR: 8001: org.codehaus.cargo.deployment.webapp.tomcat.TomcatContextXmlTag:  
Class org.codehaus.cargo.deployment.webapp.tomcat.TomcatContextXmlTag removed  
ERROR: 8001: org.codehaus.cargo.deployment.webapp.tomcat.TomcatWarArchive: Class  
org.codehaus.cargo.deployment.webapp.tomcat.TomcatWarArchive removed  
INFO: 8000: org.codehaus.cargo.module.DefaultJarArchive: Class  
org.codehaus.cargo.module.DefaultJarArchive added  
INFO: 8000: org.codehaus.cargo.module.Descriptor: Class  
org.codehaus.cargo.module.Descriptor added  
INFO: 8000: org.codehaus.cargo.module.Dtd: Class org.codehaus.cargo.module.Dtd  
added  
INFO: 8000: org.codehaus.cargo.module.Dtd\$DtdHandler: Class  
org.codehaus.cargo.module.Dtd\$DtdHandler added  
INFO: 8000: org.codehaus.cargo.module.Dtd\$XmlEntityResolver: Class  
org.codehaus.cargo.module.Dtd\$XmlEntityResolver added  
INFO: 8000: org.codehaus.cargo.module.DtdParseException: Class  
org.codehaus.cargo.module.DtdParseException added  
INFO: 8000: org.codehaus.cargo.module.Grammar: Class  
org.codehaus.cargo.module.Grammar added  
INFO: 8000: org.codehaus.cargo.module.JarArchive: Class  
org.codehaus.cargo.module.JarArchive added  
INFO: 8000: org.codehaus.cargo.module.application.ApplicationXml: Class  
org.codehaus.cargo.module.application.ApplicationXml added  
INFO: 8000: org.codehaus.cargo.module.application.ApplicationXmlIo: Class  
org.codehaus.cargo.module.application.ApplicationXmlIo added  
INFO: 8000:  
org.codehaus.cargo.module.application.ApplicationXmlIo\$ApplicationXmlEntityResolv  
er: Class  
org.codehaus.cargo.module.application.ApplicationXmlIo\$ApplicationXmlEntityResolv  
er added  
INFO: 8000: org.codehaus.cargo.module.application.ApplicationXmlTag: Class  
org.codehaus.cargo.module.application.ApplicationXmlTag added  
INFO: 8000: org.codehaus.cargo.module.application.ApplicationXmlVersion: Class  
org.codehaus.cargo.module.application.ApplicationXmlVersion added  
INFO: 8000: org.codehaus.cargo.module.application.DefaultApplicationXml: Class  
org.codehaus.cargo.module.application.DefaultApplicationXml added  
INFO: 8000: org.codehaus.cargo.module.application.DefaultEarArchive: Class  
org.codehaus.cargo.module.application.DefaultEarArchive added  
INFO: 8000: org.codehaus.cargo.module.application.EarArchive: Class  
org.codehaus.cargo.module.application.EarArchive added  
INFO: 8000: org.codehaus.cargo.module.ejb.DefaultEjbArchive: Class  
org.codehaus.cargo.module.ejb.DefaultEjbArchive added  
INFO: 8000: org.codehaus.cargo.module.ejb.EjbArchive: Class  
org.codehaus.cargo.module.ejb.EjbArchive added  
INFO: 8000: org.codehaus.cargo.module.ejb.EjbDef: Class  
org.codehaus.cargo.module.ejb.EjbDef added  
INFO: 8000: org.codehaus.cargo.module.ejb.EjbJarXml: Class  
org.codehaus.cargo.module.ejb.EjbJarXml added

INFO: 8000: org.codehaus.cargo.module.ejb.EjbJarXmlIo: Class  
org.codehaus.cargo.module.ejb.EjbJarXmlIo added  
INFO: 8000: org.codehaus.cargo.module.ejb.EjbJarXmlIo\$EjbJarXmlEntityResolver:  
Class org.codehaus.cargo.module.ejb.EjbJarXmlIo\$EjbJarXmlEntityResolver added  
INFO: 8000: org.codehaus.cargo.module.ejb.EjbJarXmlTag: Class  
org.codehaus.cargo.module.ejb.EjbJarXmlTag added  
INFO: 8000: org.codehaus.cargo.module.ejb.EjbJarXmlVersion: Class  
org.codehaus.cargo.module.ejb.EjbJarXmlVersion added  
INFO: 8000: org.codehaus.cargo.module.ejb.Entity: Class  
org.codehaus.cargo.module.ejb.Entity added  
INFO: 8000: org.codehaus.cargo.module.ejb.Session: Class  
org.codehaus.cargo.module.ejb.Session added  
INFO: 8000: org.codehaus.cargo.module.ejb.VendorEjbDescriptor: Class  
org.codehaus.cargo.module.ejb.VendorEjbDescriptor added  
INFO: 8000: org.codehaus.cargo.module.ejb.orion.OrionEjbJarXml: Class  
org.codehaus.cargo.module.ejb.orion.OrionEjbJarXml added  
INFO: 8000: org.codehaus.cargo.module.ejb.orion.OrionEjbJarXmlIo: Class  
org.codehaus.cargo.module.ejb.orion.OrionEjbJarXmlIo added  
INFO: 8000: org.codehaus.cargo.module.ejb.weblogic.WeblogicEjbJarXml: Class  
org.codehaus.cargo.module.ejb.weblogic.WeblogicEjbJarXml added  
INFO: 8000: org.codehaus.cargo.module.ejb.weblogic.WeblogicEjbJarXmlIo: Class  
org.codehaus.cargo.module.ejb.weblogic.WeblogicEjbJarXmlIo added  
INFO: 8000: org.codehaus.cargo.module.ejb.weblogic.WeblogicEjbJarXmlTag: Class  
org.codehaus.cargo.module.ejb.weblogic.WeblogicEjbJarXmlTag added  
INFO: 8000: org.codehaus.cargo.module.ejb.websphere.IbmEjbJarBndXmi: Class  
org.codehaus.cargo.module.ejb.websphere.IbmEjbJarBndXmi added  
INFO: 8000: org.codehaus.cargo.module.ejb.websphere.IbmEjbJarBndXmiGrammar: Class  
org.codehaus.cargo.module.ejb.websphere.IbmEjbJarBndXmiGrammar added  
INFO: 8000: org.codehaus.cargo.module.ejb.websphere.IbmEjbJarBndXmiIo: Class  
org.codehaus.cargo.module.ejb.websphere.IbmEjbJarBndXmiIo added  
INFO: 8000: org.codehaus.cargo.module.webapp.AbstractDescriptor: Class  
org.codehaus.cargo.module.webapp.AbstractDescriptor added  
INFO: 8000: org.codehaus.cargo.module.webapp.AbstractDescriptorIo: Class  
org.codehaus.cargo.module.webapp.AbstractDescriptorIo added  
INFO: 8000: org.codehaus.cargo.module.webapp.AbstractDescriptorTag: Class  
org.codehaus.cargo.module.webapp.AbstractDescriptorTag added  
INFO: 8000: org.codehaus.cargo.module.webapp.DefaultWarArchive: Class  
org.codehaus.cargo.module.webapp.DefaultWarArchive added  
INFO: 8000: org.codehaus.cargo.module.webapp.VendorWebAppDescriptor: Class  
org.codehaus.cargo.module.webapp.VendorWebAppDescriptor added  
INFO: 8000: org.codehaus.cargo.module.webapp.WarArchive: Class  
org.codehaus.cargo.module.webapp.WarArchive added  
INFO: 8000: org.codehaus.cargo.module.webapp.WebXml: Class  
org.codehaus.cargo.module.webapp.WebXml added  
INFO: 8000: org.codehaus.cargo.module.webapp.WebXmlIo: Class  
org.codehaus.cargo.module.webapp.WebXmlIo added  
INFO: 8000: org.codehaus.cargo.module.webapp.WebXmlIo\$WebXmlEntityResolver: Class  
org.codehaus.cargo.module.webapp.WebXmlIo\$WebXmlEntityResolver added  
INFO: 8000: org.codehaus.cargo.module.webapp.WebXmlMerger: Class  
org.codehaus.cargo.module.webapp.WebXmlMerger added  
INFO: 8000: org.codehaus.cargo.module.webapp.WebXmlTag: Class  
org.codehaus.cargo.module.webapp.WebXmlTag added  
INFO: 8000: org.codehaus.cargo.module.webapp.WebXmlVersion: Class  
org.codehaus.cargo.module.webapp.WebXmlVersion added  
INFO: 8000: org.codehaus.cargo.module.webapp.jboss.JBossWarArchive: Class  
org.codehaus.cargo.module.webapp.jboss.JBossWarArchive added  
INFO: 8000: org.codehaus.cargo.module.webapp.jboss.JBossWebXml: Class  
org.codehaus.cargo.module.webapp.jboss.JBossWebXml added  
INFO: 8000: org.codehaus.cargo.module.webapp.jboss.JBossWebXmlIo: Class

```
org.codehaus.cargo.module.webapp.jboss.JBossWebXmlIo added
INFO: 8000: org.codehaus.cargo.module.webapp.jboss.JBossWebXmlTag: Class
org.codehaus.cargo.module.webapp.jboss.JBossWebXmlTag added
INFO: 8000: org.codehaus.cargo.module.webapp.orion.OrionWebXml: Class
org.codehaus.cargo.module.webapp.orion.OrionWebXml added
INFO: 8000: org.codehaus.cargo.module.webapp.orion.OrionWebXmlIo: Class
org.codehaus.cargo.module.webapp.orion.OrionWebXmlIo added
INFO: 8000: org.codehaus.cargo.module.webapp.tomcat.TomcatContextXml: Class
org.codehaus.cargo.module.webapp.tomcat.TomcatContextXml added
INFO: 8000: org.codehaus.cargo.module.webapp.tomcat.TomcatContextXmlIo: Class
org.codehaus.cargo.module.webapp.tomcat.TomcatContextXmlIo added
INFO: 8000: org.codehaus.cargo.module.webapp.tomcat.TomcatContextXmlTag: Class
org.codehaus.cargo.module.webapp.tomcat.TomcatContextXmlTag added
INFO: 8000: org.codehaus.cargo.module.webapp.tomcat.TomcatWarArchive: Class
org.codehaus.cargo.module.webapp.tomcat.TomcatWarArchive added
INFO: 8000: org.codehaus.cargo.module.webapp.weblogic.WeblogicXml: Class
org.codehaus.cargo.module.webapp.weblogic.WeblogicXml added
INFO: 8000: org.codehaus.cargo.module.webapp.weblogic.WeblogicXmlIo: Class
org.codehaus.cargo.module.webapp.weblogic.WeblogicXmlIo added
INFO: 8000: org.codehaus.cargo.module.webapp.weblogic.WeblogicXmlTag: Class
org.codehaus.cargo.module.webapp.weblogic.WeblogicXmlTag added
INFO: 8000: org.codehaus.cargo.module.webapp.websphere.IbmWebBndXmi: Class
org.codehaus.cargo.module.webapp.websphere.IbmWebBndXmi added
INFO: 8000: org.codehaus.cargo.module.webapp.websphere.IbmWebBndXmiGrammar: Class
org.codehaus.cargo.module.webapp.websphere.IbmWebBndXmiGrammar added
```

```
INFO: 8000: org.codehaus.cargo.module.webapp.websphere.IbmWebBndXmiIo: Class
org.codehaus.cargo.module.webapp.websphere.IbmWebBndXmiIo added
```

- [Core] Removed ability to add deployables to a Container. They must now either be added to a Configuration for static deployment or using a Deployer for dynamic deployments
- [Core] Added a StandaloneConfiguration interface which defines the addDeployable() method.
- [Ant] Moved <war> and <ear> elements inside the <configuration> element

```
ERROR: 7002: org.codehaus.cargo.container.Container: Method 'public void
addDeployable(org.codehaus.cargo.container.deployable.Deployable)' has been
removed
ERROR: 7002: org.codehaus.cargo.container.Container: Method 'public
java.util.List getDeployables()' has been removed
ERROR: 7002: org.codehaus.cargo.ant.CargoTask: Method 'public void
addConfiguredEar(org.codehaus.cargo.ant.EARElement)' has been removed
ERROR: 7002: org.codehaus.cargo.ant.CargoTask: Method 'public void
addConfiguredWar(org.codehaus.cargo.ant.WARElement)' has been removed
ERROR: 7002: org.codehaus.cargo.ant.CargoTask: Method 'protected java.util.List
getEars()' has been removed
ERROR: 7002: org.codehaus.cargo.ant.CargoTask: Method 'protected java.util.List
getWars()' has been removed
ERROR: 7002: org.codehaus.cargo.ant.CargoTask: Method 'protected void
setupDeployables(org.codehaus.cargo.container.Container)' has been removed
INFO: 7011: org.codehaus.cargo.ant.ConfigurationElement: Method 'public void
addConfiguredEar(org.codehaus.cargo.ant.EARElement)' has been added
INFO: 7011: org.codehaus.cargo.ant.ConfigurationElement: Method 'public void
addConfiguredWar(org.codehaus.cargo.ant.WARElement)' has been added
INFO: 7011: org.codehaus.cargo.ant.ConfigurationElement: Method 'protected
java.util.List getEars()' has been added
INFO: 7011: org.codehaus.cargo.ant.ConfigurationElement: Method 'protected
java.util.List getWars()' has been added
INFO: 4000: org.codehaus.cargo.container.jetty.JettyStandaloneConfiguration:
Added org.codehaus.cargo.container.configuration.StandaloneConfiguration to the
set of implemented interfaces
INFO: 4000: org.codehaus.cargo.container.orion.OrionStandaloneConfiguration:
Added org.codehaus.cargo.container.configuration.StandaloneConfiguration to the
set of implemented interfaces
INFO: 4000:
org.codehaus.cargo.container.resin.AbstractResinStandaloneConfiguration: Added
org.codehaus.cargo.container.configuration.StandaloneConfiguration to the set of
implemented interfaces
INFO: 4000: org.codehaus.cargo.container.resin.Resin2xStandaloneConfiguration:
Added org.codehaus.cargo.container.configuration.StandaloneConfiguration to the
set of implemented interfaces
INFO: 4000: org.codehaus.cargo.container.resin.Resin3xStandaloneConfiguration:
Added org.codehaus.cargo.container.configuration.StandaloneConfiguration to the
set of implemented interfaces
INFO: 4000: org.codehaus.cargo.container.spi.AbstractStandaloneConfiguration:
Added org.codehaus.cargo.container.configuration.StandaloneConfiguration to the
set of implemented interfaces
INFO: 4000: org.codehaus.cargo.container.tomcat.CatalinaStandaloneConfiguration:
Added org.codehaus.cargo.container.configuration.StandaloneConfiguration to the
set of implemented interfaces
INFO: 4000: org.codehaus.cargo.container.tomcat.TomcatStandaloneConfiguration:
Added org.codehaus.cargo.container.configuration.StandaloneConfiguration to the
set of implemented interfaces
```

```
INFO: 4000:
org.codehaus.cargo.container.weblogic.WebLogicStandaloneConfiguration: Added
org.codehaus.cargo.container.configuration.StandaloneConfiguration to the set of
implemented interfaces
ERROR: 7002: org.codehaus.cargo.container.spi.AbstractContainer: Method 'public
void addDeployable(org.codehaus.cargo.container.deployable.Deployable)' has been
removed
ERROR: 7002: org.codehaus.cargo.container.spi.AbstractContainer: Method 'public
java.util.List getDeployables()' has been removed
INFO: 7011: org.codehaus.cargo.container.spi.AbstractStandaloneConfiguration:
Method 'public void
addDeployable(org.codehaus.cargo.container.deployable.Deployable)' has been added
```

```
INFO: 7011: org.codehaus.cargo.container.spi.AbstractStandaloneConfiguration:
Method 'public java.util.List getDeployables()' has been added
```

- [Core] Added Deployer interface for dynamic deployments + implementation for Resin, Jetty and Jo1x

```
INFO: 8000: org.codehaus.cargo.container.deployer.DefaultDeployerFactory: Class
org.codehaus.cargo.container.deployer.DefaultDeployerFactory added
INFO: 8000: org.codehaus.cargo.container.deployer.DeployableMonitor: Class
org.codehaus.cargo.container.deployer.DeployableMonitor added
INFO: 8000: org.codehaus.cargo.container.deployer.DeployableMonitorListener:
Class org.codehaus.cargo.container.deployer.DeployableMonitorListener added
INFO: 8000: org.codehaus.cargo.container.deployer.Deployer: Class
org.codehaus.cargo.container.deployer.Deployer added
INFO: 8000: org.codehaus.cargo.container.deployer.DeployerFactory: Class
org.codehaus.cargo.container.deployer.DeployerFactory added
INFO: 8000: org.codehaus.cargo.container.deployer.URLDeployableMonitor: Class
org.codehaus.cargo.container.deployer.URLDeployableMonitor added
INFO: 8000: org.codehaus.cargo.container.jetty.JettyDeployer: Class
org.codehaus.cargo.container.jetty.JettyDeployer added
INFO: 8000: org.codehaus.cargo.container.orion.OrionDeployer: Class
org.codehaus.cargo.container.orion.OrionDeployer added
INFO: 8000: org.codehaus.cargo.container.resin.ResinDeployer: Class
org.codehaus.cargo.container.resin.ResinDeployer added
INFO: 8000: org.codehaus.cargo.container.jo.JolxDeployer: Class
org.codehaus.cargo.container.jo.JolxDeployer added
INFO: 8000: org.codehaus.cargo.container.spi.DeployerWatchdog: Class
org.codehaus.cargo.container.spi.DeployerWatchdog added
INFO: 8000: org.codehaus.cargo.container.spi.AbstractCopyingDeployer: Class
org.codehaus.cargo.container.spi.AbstractCopyingDeployer added
```

- [Core] Moved Configuration objects to package org.codehaus.cargo.container.configuration (they were previously in org.codehaus.cargo.container)
- [Core] Moved org.codehaus.cargo.container.configuration.ConfigurationFactory to an interface and added a org.codehaus.cargo.container.configuration.DefaultConfigurationFactory
- [Core] Added new org.codehaus.cargo.container.configuration.ConfigurationCapability class

```
ERROR: 7005: org.codehaus.cargo.container.Container: Parameter 1 of 'public void
setConfiguration(org.codehaus.cargo.container.Configuration)' has changed its
type to org.codehaus.cargo.container.configuration.Configuration
ERROR: 7006: org.codehaus.cargo.ant.ConfigurationElement: Return type of method
'public org.codehaus.cargo.container.Configuration
createConfiguration(org.codehaus.cargo.container.Container)' has been changed to
org.codehaus.cargo.container.configuration.Configuration
ERROR: 8001: org.codehaus.cargo.container.Configuration: Class
org.codehaus.cargo.container.Configuration removed
ERROR: 8001: org.codehaus.cargo.container.ConfigurationFactory: Class
org.codehaus.cargo.container.ConfigurationFactory removed
ERROR: 8001: org.codehaus.cargo.container.ConfigurationFactory$ConfigurationKey:
Class org.codehaus.cargo.container.ConfigurationFactory$ConfigurationKey removed
INFO: 8000: org.codehaus.cargo.container.configuration.Configuration: Class
org.codehaus.cargo.container.configuration.Configuration added
INFO: 8000: org.codehaus.cargo.container.configuration.StandaloneConfiguration:
Class org.codehaus.cargo.container.configuration.StandaloneConfiguration added
INFO: 8000: org.codehaus.cargo.container.configuration.ConfigurationFactory:
```

Class org.codehaus.cargo.container.configuration.ConfigurationFactory added  
INFO: 8000:  
org.codehaus.cargo.container.configuration.DefaultConfigurationFactory: Class  
org.codehaus.cargo.container.configuration.DefaultConfigurationFactory added  
INFO: 8000: org.codehaus.cargo.container.configuration.ConfigurationCapability:  
Class org.codehaus.cargo.container.configuration.ConfigurationCapability added  
ERROR: 7006: org.codehaus.cargo.container.spi.AbstractContainer: Return type of  
method 'public org.codehaus.cargo.container.Configuration getConfiguration()' has  
been changed to org.codehaus.cargo.container.configuration.Configuration  
ERROR: 7006: org.codehaus.cargo.container.Container: Return type of method  
'public org.codehaus.cargo.container.Configuration getConfiguration()' has been  
changed to org.codehaus.cargo.container.configuration.Configuration  
ERROR: 7005: org.codehaus.cargo.container.spi.AbstractContainer: Parameter 1 of  
'public void setConfiguration(org.codehaus.cargo.container.Configuration)' has  
changed its type to org.codehaus.cargo.container.configuration.Configuration  
INFO: 7011: org.codehaus.cargo.container.jetty.JettyStandaloneConfiguration:  
Method 'public org.codehaus.cargo.container.configuration.ConfigurationCapability  
getCapability()' has been added  
INFO: 7011: org.codehaus.cargo.container.orion.OrionStandaloneConfiguration:  
Method 'public org.codehaus.cargo.container.configuration.ConfigurationCapability  
getCapability()' has been added  
INFO: 7011:  
org.codehaus.cargo.container.resin.AbstractResinStandaloneConfiguration: Method  
'public org.codehaus.cargo.container.configuration.ConfigurationCapability  
getCapability()' has been added  
INFO: 8000:  
org.codehaus.cargo.container.spi.AbstractStandaloneConfigurationCapability: Class  
org.codehaus.cargo.container.spi.AbstractStandaloneConfigurationCapability added  
INFO: 7011:  
org.codehaus.cargo.container.weblogic.WebLogicStandaloneConfiguration: Method  
'public org.codehaus.cargo.container.configuration.ConfigurationCapability  
getCapability()' has been added  
INFO: 4000: org.codehaus.cargo.container.jetty.JettyStandaloneConfiguration:  
Added org.codehaus.cargo.container.configuration.Configuration to the set of  
implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.orion.OrionStandaloneConfiguration:  
Added org.codehaus.cargo.container.configuration.Configuration to the set of  
implemented interfaces  
INFO: 4000:  
org.codehaus.cargo.container.resin.AbstractResinStandaloneConfiguration: Added  
org.codehaus.cargo.container.configuration.Configuration to the set of  
implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.resin.Resin2xStandaloneConfiguration:  
Added org.codehaus.cargo.container.configuration.Configuration to the set of  
implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.resin.Resin3xStandaloneConfiguration:  
Added org.codehaus.cargo.container.configuration.Configuration to the set of  
implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.spi.AbstractConfiguration: Added  
org.codehaus.cargo.container.configuration.Configuration to the set of  
implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.spi.AbstractStandaloneConfiguration:  
Added org.codehaus.cargo.container.configuration.Configuration to the set of  
implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.spi.ContainerConfiguration: Added  
org.codehaus.cargo.container.configuration.Configuration to the set of  
implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.tomcat.CatalinaStandaloneConfiguration:  
Added org.codehaus.cargo.container.configuration.Configuration to the set of



```
implemented interfaces
INFO: 4000: org.codehaus.cargo.container.tomcat.TomcatStandaloneConfiguration:
Added org.codehaus.cargo.container.configuration.Configuration to the set of
implemented interfaces
INFO: 4000:
org.codehaus.cargo.container.weblogic.WebLogicStandaloneConfiguration: Added
org.codehaus.cargo.container.configuration.Configuration to the set of
implemented interfaces
ERROR: 4001: org.codehaus.cargo.container.jetty.JettyStandaloneConfiguration:
Removed org.codehaus.cargo.container.Configuration from the set of implemented
interfaces
ERROR: 4001: org.codehaus.cargo.container.orion.OrionStandaloneConfiguration:
Removed org.codehaus.cargo.container.Configuration from the set of implemented
interfaces
ERROR: 4001:
org.codehaus.cargo.container.resin.AbstractResinStandaloneConfiguration: Removed
org.codehaus.cargo.container.Configuration from the set of implemented interfaces
ERROR: 4001: org.codehaus.cargo.container.resin.Resin2xStandaloneConfiguration:
Removed org.codehaus.cargo.container.Configuration from the set of implemented
interfaces
ERROR: 4001: org.codehaus.cargo.container.resin.Resin3xStandaloneConfiguration:
Removed org.codehaus.cargo.container.Configuration from the set of implemented
interfaces
ERROR: 4001: org.codehaus.cargo.container.spi.AbstractConfiguration: Removed
org.codehaus.cargo.container.Configuration from the set of implemented interfaces
ERROR: 4001: org.codehaus.cargo.container.spi.AbstractStandaloneConfiguration:
Removed org.codehaus.cargo.container.Configuration from the set of implemented
interfaces
ERROR: 4001: org.codehaus.cargo.container.spi.ContainerConfiguration: Removed
org.codehaus.cargo.container.Configuration from the set of implemented interfaces
ERROR: 4001: org.codehaus.cargo.container.tomcat.CatalinaStandaloneConfiguration:
Removed org.codehaus.cargo.container.Configuration from the set of implemented
interfaces
ERROR: 4001: org.codehaus.cargo.container.tomcat.TomcatStandaloneConfiguration:
Removed org.codehaus.cargo.container.Configuration from the set of implemented
interfaces
ERROR: 4001:
org.codehaus.cargo.container.weblogic.WebLogicStandaloneConfiguration: Removed
org.codehaus.cargo.container.Configuration from the set of implemented interfaces
INFO: 7003: org.codehaus.cargo.container.spi.AbstractConfiguration: Method
'public void configure()' has been removed, but an inherited definition exists.
INFO: 7003: org.codehaus.cargo.container.spi.AbstractConfiguration: Method
'public void verifyProperties()' has been removed, but an inherited definition
exists.
INFO: 7003: org.codehaus.cargo.container.spi.AbstractContainer: Method 'public
java.lang.String getId()' has been removed, but an inherited definition exists.
```

```
INFO: 7003: org.codehaus.cargo.container.spi.AbstractContainer: Method 'public java.lang.String getName()' has been removed, but an inherited definition exists.
```

- [Core] Added Jo 1.x support

```
INFO: 8000: org.codehaus.cargo.ant.jo.JolxCargoTask: Class org.codehaus.cargo.ant.jo.JolxCargoTask added
INFO: 8000: org.codehaus.cargo.container.jo.JolxContainer: Class org.codehaus.cargo.container.jo.JolxContainer added
INFO: 8000: org.codehaus.cargo.container.jo.JolxDeployer: Class org.codehaus.cargo.container.jo.JolxDeployer added
INFO: 8000: org.codehaus.cargo.container.jo.JolxStandaloneConfiguration: Class org.codehaus.cargo.container.jo.JolxStandaloneConfiguration added
INFO: 8000: org.codehaus.cargo.container.jo.JoPropertySet: Class org.codehaus.cargo.container.jo.JoPropertySet added
```

- [Core] Renamed `org.codehaus.cargo.container.Capability` to `org.codehaus.cargo.container.ContainerCapability`

```
ERROR: 8001: org.codehaus.cargo.container.Capability: Class org.codehaus.cargo.container.Capability removed
INFO: 8000: org.codehaus.cargo.container.ContainerCapability: Class org.codehaus.cargo.container.ContainerCapability added
ERROR: 7006: org.codehaus.cargo.container.Container: Return type of method 'public org.codehaus.cargo.container.Capability getCapability()' has been changed to org.codehaus.cargo.container.ContainerCapability
ERROR: 7006: org.codehaus.cargo.container.jetty.Jetty4xEmbeddedContainer: Return type of method 'public org.codehaus.cargo.container.Capability getCapability()' has been changed to org.codehaus.cargo.container.ContainerCapability
ERROR: 7006: org.codehaus.cargo.container.orion.AbstractOrionContainer: Return type of method 'public org.codehaus.cargo.container.Capability getCapability()' has been changed to org.codehaus.cargo.container.ContainerCapability
ERROR: 7006: org.codehaus.cargo.container.resin.AbstractResinContainer: Return type of method 'public org.codehaus.cargo.container.Capability getCapability()' has been changed to org.codehaus.cargo.container.ContainerCapability
ERROR: 7006: org.codehaus.cargo.container.tomcat.AbstractTomcatContainer: Return type of method 'public org.codehaus.cargo.container.Capability getCapability()' has been changed to org.codehaus.cargo.container.ContainerCapability
ERROR: 7006: org.codehaus.cargo.container.weblogic.AbstractWebLogicContainer: Return type of method 'public org.codehaus.cargo.container.Capability getCapability()' has been changed to org.codehaus.cargo.container.ContainerCapability
ERROR: 7002: org.codehaus.cargo.container.spi.AbstractContainer: Method 'public org.codehaus.cargo.container.Capability getCapability()' has been removed
```

- [Core] Moved all Monitor-related classes from `org.codehaus.cargo.util` to `org.codehaus.cargo.util.monitor`

```
ERROR: 4001: org.codehaus.cargo.container.Container: Removed org.codehaus.cargo.util.Monitorable from the set of implemented interfaces
INFO: 4000: org.codehaus.cargo.container.Container: Added org.codehaus.cargo.util.monitor.Monitorable to the set of implemented interfaces
```







org.codehaus.cargo.util.Monitorable from the set of implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.spi.AbstractContainer: Added  
org.codehaus.cargo.util.monitor.Monitorable to the set of implemented interfaces  
ERROR: 5001: org.codehaus.cargo.container.spi.AbstractContainer: Removed  
org.codehaus.cargo.util.Monitorable from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.spi.AbstractContainer: Added  
org.codehaus.cargo.util.monitor.Monitorable to the list of superclasses  
ERROR: 4001: org.codehaus.cargo.container.spi.AbstractStandaloneConfiguration:  
Removed org.codehaus.cargo.util.Monitorable from the set of implemented  
interfaces  
INFO: 4000: org.codehaus.cargo.container.spi.AbstractStandaloneConfiguration:  
Added org.codehaus.cargo.util.monitor.Monitorable to the set of implemented  
interfaces  
ERROR: 5001: org.codehaus.cargo.container.spi.AbstractStandaloneConfiguration:  
Removed org.codehaus.cargo.util.Monitorable from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.spi.AbstractStandaloneConfiguration:  
Added org.codehaus.cargo.util.monitor.Monitorable to the list of superclasses  
ERROR: 4001: org.codehaus.cargo.container.spi.ContainerConfiguration: Removed  
org.codehaus.cargo.util.Monitorable from the set of implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.spi.ContainerConfiguration: Added  
org.codehaus.cargo.util.monitor.Monitorable to the set of implemented interfaces  
ERROR: 4001: org.codehaus.cargo.container.tomcat.AbstractCatalinaContainer:  
Removed org.codehaus.cargo.util.Monitorable from the set of implemented  
interfaces  
INFO: 4000: org.codehaus.cargo.container.tomcat.AbstractCatalinaContainer: Added  
org.codehaus.cargo.util.monitor.Monitorable to the set of implemented interfaces  
ERROR: 5001: org.codehaus.cargo.container.tomcat.AbstractCatalinaContainer:  
Removed org.codehaus.cargo.util.Monitorable from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.tomcat.AbstractCatalinaContainer: Added  
org.codehaus.cargo.util.monitor.Monitorable to the list of superclasses  
ERROR: 4001: org.codehaus.cargo.container.tomcat.AbstractTomcatContainer: Removed  
org.codehaus.cargo.util.Monitorable from the set of implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.tomcat.AbstractTomcatContainer: Added  
org.codehaus.cargo.util.monitor.Monitorable to the set of implemented interfaces  
ERROR: 5001: org.codehaus.cargo.container.tomcat.AbstractTomcatContainer: Removed  
org.codehaus.cargo.util.Monitorable from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.tomcat.AbstractTomcatContainer: Added  
org.codehaus.cargo.util.monitor.Monitorable to the list of superclasses  
ERROR: 4001: org.codehaus.cargo.container.tomcat.CatalinaStandaloneConfiguration:  
Removed org.codehaus.cargo.util.Monitorable from the set of implemented  
interfaces  
INFO: 4000: org.codehaus.cargo.container.tomcat.CatalinaStandaloneConfiguration:  
Added org.codehaus.cargo.util.monitor.Monitorable to the set of implemented  
interfaces  
ERROR: 5001: org.codehaus.cargo.container.tomcat.CatalinaStandaloneConfiguration:  
Removed org.codehaus.cargo.util.Monitorable from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.tomcat.CatalinaStandaloneConfiguration:  
Added org.codehaus.cargo.util.monitor.Monitorable to the list of superclasses  
ERROR: 4001: org.codehaus.cargo.container.tomcat.Tomcat3xContainer: Removed  
org.codehaus.cargo.util.Monitorable from the set of implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.tomcat.Tomcat3xContainer: Added  
org.codehaus.cargo.util.monitor.Monitorable to the set of implemented interfaces  
ERROR: 5001: org.codehaus.cargo.container.tomcat.Tomcat3xContainer: Removed  
org.codehaus.cargo.util.Monitorable from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.tomcat.Tomcat3xContainer: Added  
org.codehaus.cargo.util.monitor.Monitorable to the list of superclasses  
ERROR: 4001: org.codehaus.cargo.container.tomcat.Tomcat4xContainer: Removed  
org.codehaus.cargo.util.Monitorable from the set of implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.tomcat.Tomcat4xContainer: Added

org.codehaus.cargo.util.monitor.Monitorable to the set of implemented interfaces  
ERROR: 5001: org.codehaus.cargo.container.tomcat.Tomcat4xContainer: Removed  
org.codehaus.cargo.util.MonitoredObject from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.tomcat.Tomcat4xContainer: Added  
org.codehaus.cargo.util.monitor.MonitoredObject to the list of superclasses  
ERROR: 4001: org.codehaus.cargo.container.tomcat.Tomcat5xContainer: Removed  
org.codehaus.cargo.util.Monitorable from the set of implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.tomcat.Tomcat5xContainer: Added  
org.codehaus.cargo.util.monitor.Monitorable to the set of implemented interfaces  
ERROR: 5001: org.codehaus.cargo.container.tomcat.Tomcat5xContainer: Removed  
org.codehaus.cargo.util.MonitoredObject from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.tomcat.Tomcat5xContainer: Added  
org.codehaus.cargo.util.monitor.MonitoredObject to the list of superclasses  
ERROR: 4001: org.codehaus.cargo.container.tomcat.TomcatStandaloneConfiguration:  
Removed org.codehaus.cargo.util.Monitorable from the set of implemented  
interfaces  
INFO: 4000: org.codehaus.cargo.container.tomcat.TomcatStandaloneConfiguration:  
Added org.codehaus.cargo.util.monitor.Monitorable to the set of implemented  
interfaces  
ERROR: 5001: org.codehaus.cargo.container.tomcat.TomcatStandaloneConfiguration:  
Removed org.codehaus.cargo.util.MonitoredObject from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.tomcat.TomcatStandaloneConfiguration:  
Added org.codehaus.cargo.util.monitor.MonitoredObject to the list of superclasses  
ERROR: 4001: org.codehaus.cargo.container.weblogic.AbstractWebLogicContainer:  
Removed org.codehaus.cargo.util.Monitorable from the set of implemented  
interfaces  
INFO: 4000: org.codehaus.cargo.container.weblogic.AbstractWebLogicContainer:  
Added org.codehaus.cargo.util.monitor.Monitorable to the set of implemented  
interfaces  
ERROR: 5001: org.codehaus.cargo.container.weblogic.AbstractWebLogicContainer:  
Removed org.codehaus.cargo.util.MonitoredObject from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.weblogic.AbstractWebLogicContainer:  
Added org.codehaus.cargo.util.monitor.MonitoredObject to the list of superclasses  
ERROR: 4001: org.codehaus.cargo.container.weblogic.WebLogic8xContainer: Removed  
org.codehaus.cargo.util.Monitorable from the set of implemented interfaces  
INFO: 4000: org.codehaus.cargo.container.weblogic.WebLogic8xContainer: Added  
org.codehaus.cargo.util.monitor.Monitorable to the set of implemented interfaces  
ERROR: 5001: org.codehaus.cargo.container.weblogic.WebLogic8xContainer: Removed  
org.codehaus.cargo.util.MonitoredObject from the list of superclasses  
INFO: 5000: org.codehaus.cargo.container.weblogic.WebLogic8xContainer: Added  
org.codehaus.cargo.util.monitor.MonitoredObject to the list of superclasses  
ERROR: 4001:  
org.codehaus.cargo.container.weblogic.WebLogicStandaloneConfiguration: Removed  
org.codehaus.cargo.util.Monitorable from the set of implemented interfaces  
INFO: 4000:  
org.codehaus.cargo.container.weblogic.WebLogicStandaloneConfiguration: Added  
org.codehaus.cargo.util.monitor.Monitorable to the set of implemented interfaces  
ERROR: 5001:  
org.codehaus.cargo.container.weblogic.WebLogicStandaloneConfiguration: Removed  
org.codehaus.cargo.util.MonitoredObject from the list of superclasses  
INFO: 5000:  
org.codehaus.cargo.container.weblogic.WebLogicStandaloneConfiguration: Added  
org.codehaus.cargo.util.monitor.MonitoredObject to the list of superclasses  
ERROR: 8001: org.codehaus.cargo.util.FileMonitor: Class  
org.codehaus.cargo.util.FileMonitor removed  
ERROR: 8001: org.codehaus.cargo.util.Monitor: Class  
org.codehaus.cargo.util.Monitor removed  
ERROR: 8001: org.codehaus.cargo.util.Monitorable: Class  
org.codehaus.cargo.util.Monitorable removed

```
ERROR: 8001: org.codehaus.cargo.util.MonitoredObject: Class
org.codehaus.cargo.util.MonitoredObject removed
ERROR: 8001: org.codehaus.cargo.util.NullMonitor: Class
org.codehaus.cargo.util.NullMonitor removed
ERROR: 8001: org.codehaus.cargo.util.SimpleMonitor: Class
org.codehaus.cargo.util.SimpleMonitor removed
INFO: 8000: org.codehaus.cargo.util.monitor.FileMonitor: Class
org.codehaus.cargo.util.monitor.FileMonitor added
INFO: 8000: org.codehaus.cargo.util.monitor.Monitor: Class
org.codehaus.cargo.util.monitor.Monitor added
INFO: 8000: org.codehaus.cargo.util.monitor.Monitorable: Class
org.codehaus.cargo.util.monitor.Monitorable added
INFO: 8000: org.codehaus.cargo.util.monitor.MonitoredObject: Class
org.codehaus.cargo.util.monitor.MonitoredObject added
INFO: 8000: org.codehaus.cargo.util.monitor.NullMonitor: Class
org.codehaus.cargo.util.monitor.NullMonitor added
```



```
INFO: 8000: org.codehaus.cargo.util.monitor.SimpleMonitor: Class
org.codehaus.cargo.util.monitor.SimpleMonitor added
```

- [Core] Added new `org.codehaus.cargo.util.monitor.AntMonitor` class

```
INFO: 8000: org.codehaus.cargo.util.monitor.AntMonitor: Class
org.codehaus.cargo.util.monitor.AntMonitor added
```

- [Core] Promoted `org.codehaus.cargo.container.internal.util.FileUtils` class to a public `org.codehaus.cargo.util.FileUtils` class as it is now used in the `org.codehaus.cargo.module` package (and we do want to have any dependency from `org.codehaus.cargo.module` to `org.codehaus.cargo.container` - only in the other direction)

```
INFO: 8000: org.codehaus.cargo.util.FileUtils: Class
org.codehaus.cargo.util.FileUtils added
ERROR: 8001: org.codehaus.cargo.container.internal.util.FileUtils: Class
org.codehaus.cargo.container.internal.util.FileUtils removed
ERROR: 7006: org.codehaus.cargo.container.spi.AbstractConfiguration: Return type
of method 'protected org.codehaus.cargo.container.internal.util.FileUtils
getFileUtils()' has been changed to org.codehaus.cargo.util.FileUtils
ERROR: 7006: org.codehaus.cargo.container.spi.AbstractContainer: Return type of
method 'protected org.codehaus.cargo.container.internal.util.FileUtils
getFileUtils()' has been changed to org.codehaus.cargo.util.FileUtils
```

- [Core] Added new `org.codehaus.cargo.util.CargoException` which is the base of all Cargo exceptions.

```
INFO: 8000: org.codehaus.cargo.util.CargoException: Class
org.codehaus.cargo.util.CargoException added
WARNING: 5000: org.codehaus.cargo.container.ContainerException: Added
org.codehaus.cargo.util.CargoException to the list of superclasses
INFO: 7000: org.codehaus.cargo.container.ContainerException: Method 'public
java.lang.Throwable getOriginalThrowable()' is now implemented in superclass
org.codehaus.cargo.util.CargoException
INFO: 7003: org.codehaus.cargo.container.ContainerException: Method 'public void
printStackTrace()' has been removed, but an inherited definition exists.
INFO: 7003: org.codehaus.cargo.container.ContainerException: Method 'public void
printStackTrace(java.io.PrintStream)' has been removed, but an inherited
definition exists.
INFO: 7003: org.codehaus.cargo.container.ContainerException: Method 'public void
printStackTrace(java.io.PrintWriter)' has been removed, but an inherited
definition exists.
```

- [Core] Added public APIs `org.codehaus.cargo.container.Container.getOutput()` and `org.codehaus.cargo.container.Container.isAppend()`

```
ERROR: 7012: org.codehaus.cargo.container.Container: Method 'public java.io.File
getOutput()' has been added to an interface
ERROR: 7012: org.codehaus.cargo.container.Container: Method 'public boolean
isAppend()' has been added to an interface
INFO: 7010: org.codehaus.cargo.container.spi.AbstractContainer: Accessibility of
method 'protected java.io.File getOutput()' has been increased from protected to
public
INFO: 7010: org.codehaus.cargo.container.spi.AbstractContainer: Accessibility of
method 'protected boolean isAppend()' has been increased from protected to public
```

- [Core] Fixed proxy support in the Installer by adding a ProxyAuthenticator class
- [Core] Added tests for ZipURLInstaller and made small modifications to improve testability

```
INFO: 8000: org.codehaus.cargo.container.installer.Proxy$ProxyAuthenticator:
Class org.codehaus.cargo.container.installer.Proxy$ProxyAuthenticator added
INFO: 7010: org.codehaus.cargo.container.installer.ZipURLInstaller: Accessibility
of method 'private void download()' has been increased from private to protected
INFO: 7011: org.codehaus.cargo.container.installer.ZipURLInstaller: Method
'protected void
setAntTaskFactory(org.codehaus.cargo.container.internal.util.AntTaskFactory)' has
been added
```

- [Core] Added handy class when implementing Cargo factories based on a container id and a hint

```
INFO: 8000: org.codehaus.cargo.container.spi.AbstractGenericHintFactory: Class
org.codehaus.cargo.container.spi.AbstractGenericHintFactory added
INFO: 8000:
org.codehaus.cargo.container.spi.AbstractGenericHintFactory$GenericParameters:
Class
org.codehaus.cargo.container.spi.AbstractGenericHintFactory$GenericParameters
added
```

- [Core] Start of a Resin ExistingConfiguration implementation. Does not work yet and must not be used.

```
INFO: 8000: org.codehaus.cargo.container.resin.ResinExistingConfiguration: Class
org.codehaus.cargo.container.resin.ResinExistingConfiguration added
```

- [Core] Added property for supporting container authentication

```
INFO: 6000: org.codehaus.cargo.container.property.ServletPropertySet: Added
public field USERS
INFO: 8000: org.codehaus.cargo.container.property.User: Class
org.codehaus.cargo.container.property.User added
INFO: 8000:
org.codehaus.cargo.container.tomcat.AbstractTomcatStandaloneConfiguration: Class
org.codehaus.cargo.container.tomcat.AbstractTomcatStandaloneConfiguration added
INFO: 5000: org.codehaus.cargo.container.tomcat.CatalinaStandaloneConfiguration:
Added org.codehaus.cargo.container.tomcat.AbstractTomcatStandaloneConfiguration
to the list of superclasses
INFO: 5000: org.codehaus.cargo.container.tomcat.TomcatStandaloneConfiguration:
Added org.codehaus.cargo.container.tomcat.AbstractTomcatStandaloneConfiguration
to the list of superclasses
INFO: 7011: org.codehaus.cargo.container.orion.OrionStandaloneConfiguration:
Method 'protected java.lang.String getRoleToken()' has been added
INFO: 7011: org.codehaus.cargo.container.orion.OrionStandaloneConfiguration:
Method 'protected java.lang.String getUserToken()' has been added
INFO: 7011:
org.codehaus.cargo.container.resin.AbstractResinStandaloneConfiguration: Method
'protected java.lang.String getSecurityToken(java.lang.String, java.lang.String)'
has been added
```

- [Core] Added `org.codehaus.cargo.container.jetty.Jetty4xEmbeddedContainer.getServer()` API to allow users to further configure a Jetty server

```
INFO: 7011: org.codehaus.cargo.container.jetty.Jetty4xEmbeddedContainer: Method
'public java.lang.Object getServer()' has been added
```

- [Core] Added possibility to pass JVM arguments to Configurations by introducing a new `org.codehaus.cargo.jvmargs` property

```
INFO: 6000: org.codehaus.cargo.container.property.GeneralPropertySet: Added
public field JVMARGS
```